

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091621\
 Data File : VU044659.D
 Acq On : 16 Sep 2021 13:49
 Operator : SY/MD
 Sample : M3763-01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0C86

Manual Integrations
 APPROVED

MMDadoda
 9/17/2021 4:34:13 PM

Quant Time: Sep 17 03:01:33 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Sep 17 02:59:59 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	129441	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	130283	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	56310	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.600	65	26347	3.450	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	69.000%
7) Chloroethane-d5	1.919	69	30699	3.939	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.800%
11) 1,1-Dichloroethene-d2	2.575	65	14045	3.641	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	72.800%
20) 2-Butanone-d5	4.645	46	161808m	50.540	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.080%
24) Chloroform-d	5.073	84	70373	4.381	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.600%
26) 1,2-Dichloroethane-d4	5.710	65	44190	4.613	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.200%
32) Benzene-d6	5.735	84	135478	4.078	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.600%
36) 1,2-Dichloropropane-d6	6.697	67	48305	4.428	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.600%
41) Toluene-d8	7.902	98	106283	3.675	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.600%
43) trans-1,3-Dichloroprop...	8.185	79	15107	3.928	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.600%
46) 2-Hexanone-d5	8.645	63	117325	47.469	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	94.940%
56) 1,1,2,2-Tetrachloroeth...	10.761	84	44325	4.582	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.600%
66) 1,2-Dichlorobenzene-d4	12.198	152	40034	4.309	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	86.200%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091621\
Data File : VU044659.D
Acq On : 16 Sep 2021 13:49
Operator : SY/MD
Sample : M3763-01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0C86

Manual Integrations
APPROVED

MMDadoda
9/17/2021 4:34:13 PM

Quant Time: Sep 17 03:01:33 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Sep 17 02:59:59 2021
Response via : Initial Calibration

