

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091719\
 Data File : VU034610.D
 Acq On : 17 Sep 2019 13:04
 Operator : JC/SP
 Sample : K4838-13DL 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ME9DL

Manual Integrations
 APPROVED

MMDadoda
 9/18/2019 3:16:04 PM

Quant Time: Sep 18 05:25:32 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Sep 18 04:30:59 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	231285	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	209911	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	84220	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	52199	46.78	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.56%
7) Chloroethane-d5	1.67	69	47933	55.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	111.70%
11) 1,1-Dichloroethene-d2	2.26	63	90645	39.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.40%
21) 2-Butanone-d5	4.15	46	152913	121.53	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	121.53%
24) Chloroform-d	4.62	84	138649	54.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.46%
26) 1,2-Dichloroethane-d4	5.29	65	92239	59.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	119.34%
32) Benzene-d6	5.32	84	259173	56.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	112.30%
36) 1,2-Dichloropropane-d6	6.31	67	99177	57.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	115.44%
41) Toluene-d8	7.54	98	242244	54.06	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.12%
43) trans-1,3-Dichloropropene-	7.83	79	44835	54.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	109.40%
47) 2-Hexanone-d5	8.29	63	108556	116.47	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	116.47%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	153486	57.17	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	114.34%
64) 1,2-Dichlorobenzene-d4	11.84	152	83013	55.25	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.50%

Target Compounds

					Ovalue
12) 1,1-Dichloroethene	2.27	96	4929	4.484 ug/L #	1
20) cis-1,2-Dichloroethene	4.21	96	5685	3.731 ug/L	97
30) 1,1,1-Trichloroethane	4.90	97	7416m	3.536 ug/L	
34) Trichloroethene	6.16	95	82861	62.472 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091719\
Data File : VU034610.D
Acq On : 17 Sep 2019 13:04
Operator : JC/SP
Sample : K4838-13DL 10X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
C0ME9DL

Manual Integrations
APPROVED

MMDadoda
9/18/2019 3:16:04 PM

Quant Time: Sep 18 05:25:32 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091619WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Sep 18 04:30:59 2019
Response via : Initial Calibration





#12

1,1-Dichloroethene

Concen: 4.484 ug/L

RT: 2.27 min Scan# 367

Delta R.T. 0.00 min

Lab File: VU034610.D

Acq: 17 Sep 2019 13:04

Instrument :

MSVOA_U





ClientSampled :

COME9DL

Tot Ion:	96	Resp:	4929
Ion	Ratio	Lower	Upper
96	100		
61	309.1	117.8	218.8#
63	896.4	83.8	155.6#

Manual Integrations
APPROVED

MMDadoda
9/18/2019 3:16:04 PM



#20

cis-1,2-Dichloroethene

Concen: 3.731 ug/L




RT: 4.21 min Scan# 969


Delta R.T. 0.01 min

Lab File: VU034610.D

Acq: 17 Sep 2019 13:04

Tgt Ion:	96	Resp:	5685
Ion	Ratio	Lower	Upper
96	100		
61	131.2	94.7	175.9
68	0.0	0.0	0.0









#30
1,1,1-Trichloroethane
Concen: 3.536 ug/L m
RT: 4.90 min Scan# 1184
Delta R.T. 0.01 min
Lab File: VU034610.D
Acq: 17 Sep 2019 13:04

Instrument :
MSVOA_U
ClientSampleId :
C0ME9DL

Tot Ion	Ratio	Lower	Upper
97	100		
99	36.0	50.7	76.1#
61	51.2	36.9	55.3

Manual Integrations
APPROVED

MMDadoda
9/18/2019 3:16:04 PM



#34
Trichloroethene
Concen: 62.472 ug/L
RT: 6.16 min Scan# 1578
Delta R.T. 0.00 min
Lab File: VU034610.D
Acq: 17 Sep 2019 13:04

Tgt Ion	Ratio	Lower	Upper
95	100		
97	66.3	45.4	84.4
132	86.6	65.2	121.0
130	93.0	68.5	127.3

