

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091719\
 Data File : VU034612.D
 Acq On : 17 Sep 2019 13:51
 Operator : JC/SP
 Sample : K4868-05
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COMLO

Quant Time: Sep 18 05:34:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Sep 18 04:30:59 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	226266	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	210334	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	83065	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	50312	46.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.18%
7) Chloroethane-d5	1.67	69	46234	55.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	110.14%
11) 1,1-Dichloroethene-d2	2.26	63	85486	38.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.54%
21) 2-Butanone-d5	4.15	46	143589	116.65	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	116.65%
24) Chloroform-d	4.62	84	134743	54.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.74%
26) 1,2-Dichloroethane-d4	5.29	65	86509	57.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	114.42%
32) Benzene-d6	5.32	84	250537	54.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.34%
36) 1,2-Dichloropropane-d6	6.31	67	95504	55.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	110.94%
41) Toluene-d8	7.54	98	235177	52.38	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.76%
43) trans-1,3-Dichloropropene-	7.83	79	42583	51.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	103.70%
47) 2-Hexanone-d5	8.29	63	100941	108.08	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	108.08%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	145129	53.95	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	107.90%
64) 1,2-Dichlorobenzene-d4	11.84	152	79769	53.83	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.66%


Target Compounds					Ovalue
13) Acetone	2.31	43	7815	7.065 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091719\
Data File : VU034612.D
Acq On : 17 Sep 2019 13:51
Operator : JC/SP
Sample : K4868-05
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COMLO

Quant Time: Sep 18 05:34:15 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091619WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Sep 18 04:30:59 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 7.065 ug/L
 RT: 2.31 min Scan# 379
 Delta R.T. 0.00 min
 Lab File: VU034612.D
 Acq: 17 Sep 2019 13:51

Instrument :
 MSVOA_U
 ClientSampleId :
 COMLO

Tot Ion: 43 Resp: 7815
 Ion Ratio Lower Upper
 43 100
 58 26.7 0.0 65.0

