


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091720\
Data File : VU040191.D
Acq On : 17 Sep 2020 19:05
Operator : SY/MD
Sample : L4063-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AF6

Manual Integrations
APPROVED

MMDadoda
9/18/2020 1:22:03 PM

Quant Time: Sep 18 04:51:01 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Sep 18 04:01:22 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091720\
 Data File : VU040191.D
 Acq On : 17 Sep 2020 19:05
 Operator : SY/MD
 Sample : L4063-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 C0AF6

Manual Integrations
APPROVED

MMDadoda
 9/18/2020 1:22:03 PM

Quant Time: Sep 18 04:04:31 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Sep 18 04:01:22 2020
 Response via : Initial Calibration



TIC: VU040191.D

(13) Acetone (T)

2.652min (-0.006) 0.35ug/L

response 716

Ion	Exp%	Act%
43.05	100	100
58.05	27.70	32.82
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091720\
Data File : VU040191.D
Acq On : 17 Sep 2020 19:05
Operator : SY/MD
Sample : L4063-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AF6

Manual Integrations
APPROVED

MMDadoda
9/18/2020 1:22:03 PM

Quant Time: Sep 18 04:04:31 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Sep 18 04:01:22 2020
Response via : Initial Calibration



TIC: VU040191.D

(13) Acetone (T)

2.671min (+0.013) 1.41ug/L m

response 2879

Ion Exp% Act%

43.05 100 100

58.05 27.70 8.16

0.00 0.00 0.00

0.00 0.00 0.00

MD
09/18/20

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091720\
 Data File : VU040191.D
 Acq On : 17 Sep 2020 19:05
 Operator : SY/MD
 Sample : L4063-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF6

Manual Integrations
 APPROVED

MMDadoda
 9/18/2020 1:22:03 PM

Quant Time: Sep 18 04:51:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Sep 18 04:01:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	6.26	114	101088	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	100968	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	42256	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	26929	4.88	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.60%
7) Chloroethane-d5	1.92	69	24370	5.30	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	106.00%
11) 1,1-Dichloroethene-d2	2.58	63	46110	3.26	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.20%
20) 2-Butanone-d5	4.66	46	114311	51.78	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.56%
24) Chloroform-d	5.08	84	64371	4.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.80%
26) 1,2-Dichloroethane-d4	5.72	65	39891	5.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.20%
32) Benzene-d6	5.75	84	117321	4.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.60%
36) 1,2-Dichloropropane-d6	6.70	67	39546	5.09	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.80%
41) Toluene-d8	7.91	98	93223	4.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.60%
43) trans-1,3-Dichloropropene-	8.19	79	15334	4.30	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.00%
46) 2-Hexanone-d5	8.64	63	80357	47.53	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	95.06%
57) 1,1,1,2,2-Tetrachloroethane-	10.75	84	33591	5.00	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	37347	5.46	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.20%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	2.67	43	2879m	1.409	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

7 mD
 09/18/20