

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091720\
 Data File : VU040190.D
 Acq On : 17 Sep 2020 18:42
 Operator : SY/MD
 Sample : L4063-04
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF5

Quant Time: Sep 18 04:47:54 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Sep 18 04:01:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	102765	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	101379	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	43601	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	26419	4.71	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	94.20%
7) Chloroethane-d5	1.92	69	24872	5.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	106.40%
11) 1,1-Dichloroethene-d2	2.58	63	45314	3.15	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	63.00%
20) 2-Butanone-d5	4.66	46	111044	49.48	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.96%
24) Chloroform-d	5.08	84	56272	4.29	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.80%
26) 1,2-Dichloroethane-d4	5.72	65	39943	4.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.80%
32) Benzene-d6	5.74	84	116733	4.93	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.60%
36) 1,2-Dichloropropane-d6	6.70	67	38161	4.89	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.80%
41) Toluene-d8	7.91	98	90562	4.24	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.80%
43) trans-1,3-Dichloropropene-	8.19	79	15922	4.44	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.80%
46) 2-Hexanone-d5	8.64	63	79938	47.09	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	94.18%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	34415	5.10	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	102.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	37467	5.31	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.20%


Target Compounds					Ovalue
25) Chloroform	5.11	83	9369	0.520 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091720\
Data File : VU040190.D
Acq On : 17 Sep 2020 18:42
Operator : SY/MD
Sample : L4063-04
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AF5

Quant Time: Sep 18 04:47:54 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Sep 18 04:01:22 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 0.520 ug/L
 RT: 5.11 min Scan# 1172
 Delta R.T. 0.00 min
 Lab File: VU040190.D
 Acq: 17 Sep 2020 18:42

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF5

Tot Ion: 83 Resp: 9369
 Ion Ratio Lower Upper
 83 100
 85 69.2 45.3 84.1

