

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091721\
 Data File : VU044678.D
 Acq On : 17 Sep 2021 11:49
 Operator : SY/MD
 Sample : VU0917WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampled :
 VBLK024

Manual Integrations
 APPROVED

SAM
 9/18/2021 11:23:49 AM

Quant Time: Sep 18 01:32:37 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Sep 18 01:28:45 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	121800	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	123109	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.816	152	51238	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	24335	3.386	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	67.800%
7) Chloroethane-d5	1.919	69	29046	3.960	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	79.200%
11) 1,1-Dichloroethene-d2	2.572	65	13667	3.765	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	75.400%
20) 2-Butanone-d5	4.649	46	160459m	53.262	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.520%
24) Chloroform-d	5.073	84	69813	4.618	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.400%
26) 1,2-Dichloroethane-d4	5.710	65	42551	4.721	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.400%
32) Benzene-d6	5.735	84	127239	4.054	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.000%
36) 1,2-Dichloropropane-d6	6.697	67	47095	4.568	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.400%
41) Toluene-d8	7.903	98	98563	3.607	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	72.200%
43) trans-1,3-Dichloroprop...	8.185	79	13843	3.809	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.200%
46) 2-Hexanone-d5	8.645	63	113924	48.779	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	97.560%
56) 1,1,2,2-Tetrachloroeth...	10.761	84	43100	4.715	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.400%
66) 1,2-Dichlorobenzene-d4	12.198	152	37638	4.452	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	89.000%
Target Compounds						Qvalue
16) Methylene chloride	3.054	84	8783	0.706	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091721\
Data File : VU044678.D
Acq On : 17 Sep 2021 11:49
Operator : SY/MD
Sample : VU0917WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
VBLK024

Manual Integrations
APPROVED

SAM
9/18/2021 11:23:49 AM


Quant Time: Sep 18 01:32:37 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Sep 18 01:28:45 2021
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.706 ug/L
RT: 3.054 min Scan# 533
Delta R.T. 0.000 min
Lab File: VU044678.D
Acq: 17 Sep 2021 11:49

Instrument :
MSVOA_U
ClientSampleId :
VBLK024



Tgt Ion:	84	Resp:	8783
Ion	Ratio	Lower	Upper
84	100		
86	61.9	45.8	85.2
49	139.2	92.9	172.5

Manual Integrations
APPROVED

SAM
9/18/2021 11:23:49 AM

