

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091818\
 Data File : VU026855.D
 Acq On : 18 Sep 2018 12:31
 Operator : MD/SY
 Sample : J4896-18
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C08S8

Quant Time: Sep 19 06:40:17 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Sep 19 05:05:35 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	236741	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	226088	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	91845	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	71541	40.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.70%
7) Chloroethane-d5	1.68	69	66694	44.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.98%
11) 1,1-Dichloroethene-d2	2.27	63	107308	32.38	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.76%
21) 2-Butanone-d5	4.18	46	127118	109.38	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	109.38%
24) Chloroform-d	4.65	84	148170	45.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.22%
26) 1,2-Dichloroethane-d4	5.31	65	100926	49.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.68%
32) Benzene-d6	5.34	84	305518	48.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.44%
36) 1,2-Dichloropropane-d6	6.33	67	101701	49.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.64%
41) Toluene-d8	7.57	98	255759	44.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.36%
43) trans-1,3-Dichloropropene-	7.85	79	42102	46.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.38%
47) 2-Hexanone-d5	8.31	63	86802	108.18	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	108.18%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	139748	49.09	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.18%
64) 1,2-Dichlorobenzene-d4	11.86	152	105089	55.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.00%


Target Compounds				Ovalue
13) Acetone	2.32	43	3818	3.342 ug/L 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091818\
Data File : VU026855.D
Acq On : 18 Sep 2018 12:31
Operator : MD/SY
Sample : J4896-18
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C08S8

Quant Time: Sep 19 06:40:17 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091718WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Sep 19 05:05:35 2018
Response via : Initial Calibration





#13

Acetone

Concen: 3.342 ug/L

RT: 2.32 min Scan# 357

Delta R.T. 0.00 min

Lab File: VU026855.D

Acq: 18 Sep 2018 12:31

Instrument :
MSVOA_U
ClientSampleId :
C08S8

Tot Ion: 43 Resp: 3818

Ion Ratio Lower Upper

43 100

58 29.3 0.0 64.6

