

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091819\
 Data File : VU034626.D
 Acq On : 17 Sep 2019 20:04
 Operator : JC/SP
 Sample : K4865-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COMJ7

Quant Time: Sep 18 08:18:08 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR091819WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Sep 18 08:05:17 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	101854	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	96282	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	41166	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	42128	5.20	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	104.00%
7) Chloroethane-d5	1.67	69	32451	4.93	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.60%
11) 1,1-Dichloroethene-d2	2.26	63	58568	4.09	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	81.80%
20) 2-Butanone-d5	4.17	46	100304	50.35	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.70%
24) Chloroform-d	4.62	84	59499	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.20%
26) 1,2-Dichloroethane-d4	5.29	65	36953	5.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.00%
32) Benzene-d6	5.32	84	134842	5.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.20%
36) 1,2-Dichloropropane-d6	6.31	67	44446	5.14	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.80%
41) Toluene-d8	7.54	98	124637	5.15	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.00%
43) trans-1,3-Dichloropropene-	7.84	79	16401	4.69	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.80%
46) 2-Hexanone-d5	8.30	63	81253	52.19	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.38%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	33949	5.06	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.20%
64) 1,2-Dichlorobenzene-d4	11.84	152	36177	5.10	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.00%


Target Compounds					Ovalue
3) Chloromethane	1.32	50	1802	0.248 ug/L	98
14) Carbon disulfide	2.46	76	3174	0.246 ug/L #	78


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091819\
Data File : VU034626.D
Acq On : 17 Sep 2019 20:04
Operator : JC/SP
Sample : K4865-01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COMJ7

Quant Time: Sep 18 08:18:08 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR091819WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Sep 18 08:05:17 2019
Response via : Initial Calibration









#3
Chloromethane
Concen: 0.248 ug/L
RT: 1.32 min Scan# 72
Delta R.T. -0.00 min
Lab File: VU034626.D
Acq: 17 Sep 2019 20:04

Instrument :
MSVOA_U
ClientSampleId :
COMJ7

Tot Ion: 50 Resp: 1802
Ion Ratio Lower Upper
50 100
52 33.1 23.9 44.3



#14
Carbon disulfide
Concen: 0.246 ug/L
RT: 2.46 min Scan# 427
Delta R.T. -0.00 min
Lab File: VU034626.D
Acq: 17 Sep 2019 20:04

Tgt Ion: 76 Resp: 3174
Ion Ratio Lower Upper
76 100
78 17.5 7.7 11.5#

