

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091820\
 Data File : VU040211.D
 Acq On : 18 Sep 2020 15:17
 Operator : SY/MD
 Sample : L4063-17
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AK2

Manual Integrations
 APPROVED

MMDadoda
 9/21/2020 1:37:50 PM

Quant Time: Sep 19 00:26:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Sep 18 23:20:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	115083	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	113254	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	48534	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	27020	4.30	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	86.00%
7) Chloroethane-d5	1.92	69	25376	4.85	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.00%
11) 1,1-Dichloroethene-d2	2.58	63	45323	2.81	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	56.20%#
20) 2-Butanone-d5	4.66	46	133390	53.07	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.14%
24) Chloroform-d	5.08	84	70584	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.20%
26) 1,2-Dichloroethane-d4	5.72	65	44140	4.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.40%
32) Benzene-d6	5.74	84	121472	4.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.80%
36) 1,2-Dichloropropane-d6	6.70	67	41099	4.71	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.20%
41) Toluene-d8	7.91	98	95801	4.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.20%
43) trans-1,3-Dichloropropene-	8.19	79	16542	4.13	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.60%
46) 2-Hexanone-d5	8.64	63	94601	49.88	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	99.76%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	38822	5.15	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	39395	5.02	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.40%

Target Compounds				Ovalue
13) Acetone	2.66	43	2755m	1.184 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091820\
Data File : VU040211.D
Acq On : 18 Sep 2020 15:17
Operator : SY/MD
Sample : L4063-17
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
C0AK2

Manual Integrations
APPROVED

MMDadoda
9/21/2020 1:37:50 PM

Quant Time: Sep 19 00:26:18 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Sep 18 23:20:35 2020
Response via : Initial Calibration





#13
Acetone
Concen: 1.184 ug/L m
RT: 2.66 min Scan# 412
Delta R.T. 0.01 min
Lab File: VU040211.D
Acq: 18 Sep 2020 15:17

Instrument :
MSVOA_U
ClientSampleId :
C0AK2

Tot Ion	Ratio	Lower	Upper
43	100		
58	19.9	0.0	55.4

Manual Integrations
APPROVED

MMDadoda
9/21/2020 1:37:50 PM

