

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU091820\
 Data File : VU040216.D
 Acq On : 18 Sep 2020 17:12
 Operator : SY/MD
 Sample : L4063-21
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AK6

Manual Integrations
 APPROVED

MMDadoda
 9/21/2020 1:38:02 PM

Quant Time: Sep 19 00:51:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Sep 18 23:20:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	115203	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	116187	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	48668	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	26510	4.21	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.20%
7) Chloroethane-d5	1.93	69	26077	4.98	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.60%
11) 1,1-Dichloroethene-d2	2.58	63	45185	2.80	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	56.00%#
20) 2-Butanone-d5	4.66	46	125934	50.06	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.12%
24) Chloroform-d	5.08	84	67551	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.00%
26) 1,2-Dichloroethane-d4	5.72	65	42030	4.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.60%
32) Benzene-d6	5.75	84	117722	4.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.80%
36) 1,2-Dichloropropane-d6	6.70	67	40884	4.57	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.40%
41) Toluene-d8	7.91	98	92917	3.79	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.80%
43) trans-1,3-Dichloropropene-	8.19	79	16250	3.96	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.20%
46) 2-Hexanone-d5	8.64	63	88360	45.42	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.84%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	36813	4.76	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	95.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	38895	4.94	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.80%

Target Compounds				Ovalue
13) Acetone	2.68	43	5527m	2.373 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU091820\
Data File : VU040216.D
Acq On : 18 Sep 2020 17:12
Operator : SY/MD
Sample : L4063-21
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 20 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
C0AK6

Manual Integrations
APPROVED

MMDadoda
9/21/2020 1:38:02 PM

Quant Time: Sep 19 00:51:25 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Sep 18 23:20:35 2020
Response via : Initial Calibration





#13
Acetone
Concen: 2.373 ug/L m
RT: 2.68 min Scan# 417
Delta R.T. 0.03 min
Lab File: VU040216.D
Acq: 18 Sep 2020 17:12

Instrument :
MSVOA_U
ClientSampleId :
C0AK6

Tot Ion	Ratio	Lower	Upper
43	100		
58	3.3	0.0	55.4

Manual Integrations
APPROVED

MMDadoda
9/21/2020 1:38:02 PM

