

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091824\
 Data File : VU060873.D
 Acq On : 18 Sep 2024 16:24
 Operator : MD/SY
 Sample : P3973-16
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AT3

Quant Time: Sep 19 05:15:12 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091624WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 19 05:11:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	147247	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	152961	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	64484	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	42975	3.245	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	64.800%
7) Chloroethane-d5	1.911	69	36177	3.837	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	76.800%
11) 1,1-Dichloroethene-d2	2.560	65	15959	3.400	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	68.000%
20) 2-Butanone-d5	4.634	46	92222	43.376	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	86.760%
24) Chloroform-d	5.055	84	81233	4.012	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.200%
26) 1,2-Dichloroethane-d4	5.695	65	39832	4.116	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.400%
32) Benzene-d6	5.721	84	160184	3.907	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.200%
36) 1,2-Dichloropropane-d6	6.682	67	52808	4.163	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.200%
41) Toluene-d8	7.891	98	132480	3.544	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	70.800%
43) trans-1,3-Dichloroprop...	8.174	79	17419	3.815	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.200%
46) 2-Hexanone-d5	8.627	63	72966	40.511	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.020%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	42673	4.294	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.800%
66) 1,2-Dichlorobenzene-d4	12.187	152	49745	4.591	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	91.800%
Target Compounds					Qvalue	
13) Acetone	2.657	43	8885	6.264	ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091824\
Data File : VU060873.D
Acq On : 18 Sep 2024 16:24
Operator : MD/SY
Sample : P3973-16
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AT3

Quant Time: Sep 19 05:15:12 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091624WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Sep 19 05:11:13 2024
Response via : Initial Calibration





Acetone
 Concen: 6.264 ug/L
 RT: 2.657 min Scan# 42
 Delta R.T. 0.003 min
 Lab File: VU060873.D
 Acq: 18 Sep 2024 16:24

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AT3

Tgt Ion: 43 Resp: 8885

Ion	Ratio	Lower	Upper
43	100		
58	39.3	0.0	69.6

