

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU091919\
 Data File : VU034658.D
 Acq On : 19 Sep 2019 19:52
 Operator : JC/SP
 Sample : PB123216TB
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VLEB01

Quant Time: Sep 20 04:28:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 20 04:02:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	480150	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	457124	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	201424	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	220008	44.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.52%
7) Chloroethane-d5	1.67	69	181011	47.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.30%
11) 1,1-Dichloroethene-d2	2.26	63	293415	35.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.50%
21) 2-Butanone-d5	4.15	46	384130	101.96	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.96%
24) Chloroform-d	4.62	84	344195	48.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.34%
26) 1,2-Dichloroethane-d4	5.29	65	252133	48.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.00%
32) Benzene-d6	5.32	84	692522	48.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.76%
36) 1,2-Dichloropropane-d6	6.31	67	246274	49.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.46%
41) Toluene-d8	7.54	98	649228	48.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.32%
43) trans-1,3-Dichloropropene-	7.83	79	113921	48.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.06%
47) 2-Hexanone-d5	8.29	63	245371	98.65	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.65%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	320580	46.65	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.30%
64) 1,2-Dichlorobenzene-d4	11.84	152	203724	48.23	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.46%


Target Compounds					Qvalue
13) Acetone	2.31	43	14586	3.328 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU091919\
Data File : VU034658.D
Acq On : 19 Sep 2019 19:52
Operator : JC/SP
Sample : PB123216TB
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VLEB01

Quant Time: Sep 20 04:28:56 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 20 04:02:05 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.328 ug/L

RT: 2.31 min Scan# 379

Delta R.T. -0.01 min

Lab File: VU034658.D

Acq: 19 Sep 2019 19:52

Instrument :

MSVOA_U

ClientSampleId :

VLEB01

Tgt Ion: 43 Resp: 14586

Ion Ratio Lower Upper

43 100

58 31.2 0.0 53.4

