

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091924\
 Data File : VU060924.D
 Acq On : 20 Sep 2024 04:14
 Operator : MD/SY
 Sample : VIBLK137
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK137

Quant Time: Sep 20 05:58:24 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091624WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Sep 20 01:34:14 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	19275	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	16067	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.814	152	4951	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	7971	4.598	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	92.000%	
7) Chloroethane-d5	1.911	69	6553	5.309	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	106.200%	
11) 1,1-Dichloroethene-d2	2.560	65	3372	5.488	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	109.800%	
20) 2-Butanone-d5	4.634	46	36536	131.275	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	262.560%#	
24) Chloroform-d	5.059	84	13038	4.919	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	98.400%	
26) 1,2-Dichloroethane-d4	5.702	65	7180	5.668	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	113.400%	
32) Benzene-d6	5.721	84	21917	5.089	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	101.800%	
36) 1,2-Dichloropropane-d6	6.682	67	6487	4.869	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	97.400%	
41) Toluene-d8	7.894	98	15515	3.952	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	79.000%	
43) trans-1,3-Dichloroprop...	8.181	79	1698	3.540	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	70.800%	
46) 2-Hexanone-d5	8.631	63	23069	121.935	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	243.880%#	
56) 1,1,2,2-Tetrachloroeth...	10.750	84	9587	9.184	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	183.600%#	
66) 1,2-Dichlorobenzene-d4	12.193	152	4387	5.273	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	105.400%	
Target Compounds						Qvalue
34) Trichloroethene	6.544	95	2354	2.033	ug/L	81

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU091924\
Data File : VU060924.D
Acq On : 20 Sep 2024 04:14
Operator : MD/SY
Sample : VIBLK137
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK137

Quant Time: Sep 20 05:58:24 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091624WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Sep 20 01:34:14 2024
Response via : Initial Calibration

