

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU092019\
 Data File : VU034686.D
 Acq On : 20 Sep 2019 14:11
 Operator : JC/SP
 Sample : K4982-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AW1

Quant Time: Sep 21 03:45:46 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 21 02:29:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	475695	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	443087	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	196720	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	207861	42.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.36%
7) Chloroethane-d5	1.67	69	177265	47.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.20%
11) 1,1-Dichloroethene-d2	2.26	63	288664	35.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.00%
21) 2-Butanone-d5	4.15	46	383194	102.67	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.67%
24) Chloroform-d	4.62	84	343444	48.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.02%
26) 1,2-Dichloroethane-d4	5.29	65	253466	48.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.40%
32) Benzene-d6	5.32	84	687200	50.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.08%
36) 1,2-Dichloropropane-d6	6.31	67	243951	50.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.64%
41) Toluene-d8	7.54	98	642370	49.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.32%
43) trans-1,3-Dichloropropene-	7.83	79	116531	50.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.38%
47) 2-Hexanone-d5	8.29	63	251892	104.48	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.48%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	325846	48.92	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.84%
64) 1,2-Dichlorobenzene-d4	11.84	152	212853	51.60	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.20%

Target Compounds

					Ovalue
13) Acetone	2.31	43	36908	8.501 ug/L	95
33) Benzene	5.37	78	29786	1.938 ug/L	100
42) Toluene	7.62	91	71367	4.297 ug/L	97
53) m,p-Xylene	9.36	106	10948	1.653 ug/L	99
54) o-xylene	9.76	106	6116	0.933 ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU092019\
Data File : VU034686.D
Acq On : 20 Sep 2019 14:11
Operator : JC/SP
Sample : K4982-02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AW1

Quant Time: Sep 21 03:45:46 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 21 02:29:10 2019
Response via : Initial Calibration

