

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U092019\
 Data File : VU034707.D
 Acq On : 20 Sep 2019 22:47
 Operator : JC/SP
 Sample : K4993-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETOH6

Quant Time: Sep 21 06:15:42 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 21 05:27:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	454298	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	436905	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	187088	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	177976	38.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	76.54%
7) Chloroethane-d5	1.67	69	152418	42.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.80%
11) 1,1-Dichloroethene-d2	2.26	63	250934	31.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.72%
21) 2-Butanone-d5	4.15	46	363184	101.89	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.89%
24) Chloroform-d	4.62	84	314824	46.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.12%
26) 1,2-Dichloroethane-d4	5.28	65	233825	47.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.08%
32) Benzene-d6	5.32	84	628877	46.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.88%
36) 1,2-Dichloropropane-d6	6.31	67	225356	47.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.22%
41) Toluene-d8	7.54	98	585342	45.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.86%
43) trans-1,3-Dichloropropene-	7.83	79	101205	44.64	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.28%
47) 2-Hexanone-d5	8.29	63	232659	97.87	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.87%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	290857	44.29	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.58%
64) 1,2-Dichlorobenzene-d4	11.84	152	189960	48.42	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.84%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU092019\
Data File : VU034707.D
Acq On : 20 Sep 2019 22:47
Operator : JC/SP
Sample : K4993-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETOH6

Quant Time: Sep 21 06:15:42 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 21 05:27:34 2019
Response via : Initial Calibration

