

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU092023\  
 Data File : VU055426.D  
 Acq On : 20 Sep 2023 15:41  
 Operator : MD/SY  
 Sample : 04380-16  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 VHBLK001

Quant Time: Sep 21 00:30:12 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR091923WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Thu Sep 21 00:26:15 2023  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 6.245  | 114   | 236814   | 5.000    | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 9.415  | 117   | 244367   | 5.000    | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.810 | 152   | 116479   | 5.000    | ug/L  | 0.00     |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.595  | 65    | 115115   | 4.810    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 96.200%  |
| 7) Chloroethane-d5            | 1.911  | 69    | 105773   | 5.015    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 100.200% |
| 11) 1,1-Dichloroethene-d2     | 2.563  | 65    | 48407    | 4.914    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 98.200%  |
| 20) 2-Butanone-d5             | 4.627  | 46    | 237548   | 54.948   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 109.900% |
| 24) Chloroform-d              | 5.058  | 84    | 229332   | 5.297    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 106.000% |
| 26) 1,2-Dichloroethane-d4     | 5.698  | 65    | 117098   | 5.623    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 112.400% |
| 32) Benzene-d6                | 5.724  | 84    | 459567   | 5.377    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 107.600% |
| 36) 1,2-Dichloropropane-d6    | 6.688  | 67    | 140656   | 5.508    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 110.200% |
| 41) Toluene-d8                | 7.894  | 98    | 398107   | 5.110    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 102.200% |
| 43) trans-1,3-Dichloroprop... | 8.177  | 79    | 46462    | 5.184    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 103.600% |
| 46) 2-Hexanone-d5             | 8.630  | 63    | 128627   | 47.184   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 94.360%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.753 | 84    | 99304    | 5.188    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 103.800% |
| 66) 1,2-Dichlorobenzene-d4    | 12.190 | 152   | 135230   | 5.752    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 115.000% |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU092023\  
Data File : VU055426.D  
Acq On : 20 Sep 2023 15:41  
Operator : MD/SY  
Sample : 04380-16  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
VHBLK001

Quant Time: Sep 21 00:30:12 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR091923WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Thu Sep 21 00:26:15 2023  
Response via : Initial Calibration

