

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU092118\
 Data File : VU026949.D
 Acq On : 20 Sep 2018 21:34
 Operator : MD/SY
 Sample : J5012-06 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C08L9

Quant Time: Sep 21 06:44:51 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 21 04:24:07 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	196261	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	170066	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	62932	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	80636	55.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	111.08%
7) Chloroethane-d5	1.66	69	71413	57.47	ug/L	-0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	114.94%
11) 1,1-Dichloroethene-d2	2.27	63	103143	37.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	75.10%
21) 2-Butanone-d5	4.18	46	135459	140.60	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	140.60%#
24) Chloroform-d	4.65	84	148313	55.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	110.14%
26) 1,2-Dichloroethane-d4	5.31	65	99891	58.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	117.82%
32) Benzene-d6	5.34	84	289879	60.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	121.64%
36) 1,2-Dichloropropane-d6	6.33	67	99013	64.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	128.96%#
41) Toluene-d8	7.57	98	226060	52.50	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.00%
43) trans-1,3-Dichloropropene-	7.85	79	40849	59.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	119.16%
47) 2-Hexanone-d5	8.31	63	99520	164.89	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	164.89%#
57) 1,1,2,2-Tetrachloroethane-	10.43	84	143364	66.95	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	133.90%#
64) 1,2-Dichlorobenzene-d4	11.86	152	88777	67.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	135.62%#

Target Compounds

					Ovalue
33) Benzene	5.39	78	2826	0.536 ug/L	100
51) Chlorobenzene	9.12	112	8504	2.349 ug/L	99
63) 1,4-Dichlorobenzene	11.51	146	6637	3.142 ug/L	94
65) 1,2-Dichlorobenzene	11.88	146	6921	3.258 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU092118\
Data File : VU026949.D
Acq On : 20 Sep 2018 21:34
Operator : MD/SY
Sample : J5012-06 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C08L9

Quant Time: Sep 21 06:44:51 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091718WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 21 04:24:07 2018
Response via : Initial Calibration

