

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU092120\
 Data File : VU040242.D
 Acq On : 21 Sep 2020 18:31
 Operator : SY/MD
 Sample : L4078-07
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AN4

Manual Integrations
 APPROVED

MMDadoda
 9/22/2020 4:41:03 PM

Quant Time: Sep 22 09:01:06 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Sep 22 07:07:10 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	119499	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	118887	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	53007	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	32229	4.94	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.80%
7) Chloroethane-d5	1.92	69	29416	5.41	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	108.20%
11) 1,1-Dichloroethene-d2	2.58	63	57270	3.42	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	68.40%
20) 2-Butanone-d5	4.66	46	146274	56.05	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.10%
24) Chloroform-d	5.08	84	73418	4.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.40%
26) 1,2-Dichloroethane-d4	5.72	65	46472	4.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.80%
32) Benzene-d6	5.74	84	139648	5.03	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.60%
36) 1,2-Dichloropropane-d6	6.70	67	44607	4.87	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.40%
41) Toluene-d8	7.91	98	116446	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.80%
43) trans-1,3-Dichloropropene-	8.19	79	17894	4.26	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.20%
46) 2-Hexanone-d5	8.64	63	107330	53.91	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	107.82%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	40931	5.17	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	45429	5.30	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.00%

Target Compounds					Ovalue
13) Acetone	2.67	43	3940m	1.631 ug/L	
34) Trichloroethene	6.56	95	4389	0.385 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU092120\
Data File : VU040242.D
Acq On : 21 Sep 2020 18:31
Operator : SY/MD
Sample : L4078-07
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
C0AN4

Manual Integrations
APPROVED

MMDadoda
9/22/2020 4:41:03 PM

Quant Time: Sep 22 09:01:06 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR083120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Sep 22 07:07:10 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.631 ug/L m

RT: 2.67 min Scan# 413

Delta R.T. -0.00 min

Lab File: VU040242.D

Acq: 21 Sep 2020 18:31

Instrument :

MSVOA_U

ClientSampleId :

C0AN4

Tot Ion: 43 Resp: 3940

Ion Ratio Lower Upper

43 100





58 20.7 0.0 55.4

Manual Integrations

APPROVED

MMDadoda

9/22/2020 4:41:03 PM



#34

Trichloroethene

Concen: 0.385 ug/L

RT: 6.56 min Scan# 1622

Delta R.T. 0.00 min

Lab File: VU040242.D

Acq: 21 Sep 2020 18:31

Tgt Ion: 95 Resp: 4389

Ion Ratio Lower Upper

95 100

97 66.4 43.3 80.5

132 103.2 59.4 110.4

130 92.4 64.8 120.4

