

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092121\
 Data File : VU044729.D
 Acq On : 21 Sep 2021 12:14
 Operator : SY/MD
 Sample : M3789-15
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CG1

Quant Time: Sep 22 01:40:59 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Sep 22 01:40:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	83829	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	76756	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.816	152	27423	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	15520	3.138	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	62.800%
7) Chloroethane-d5	1.919	69	22340	4.426	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.600%
11) 1,1-Dichloroethene-d2	2.572	65	7615	3.048	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	61.000%
20) 2-Butanone-d5	4.642	46	148111	71.433	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	142.860%#
24) Chloroform-d	5.073	84	56710	5.451	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	109.000%
26) 1,2-Dichloroethane-d4	5.710	65	36396	5.867	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	117.400%
32) Benzene-d6	5.735	84	91995	4.701	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.000%
36) 1,2-Dichloropropane-d6	6.700	67	37926	5.901	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	118.000%
41) Toluene-d8	7.903	98	57235	3.359	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	67.200%#
43) trans-1,3-Dichloroprop...	8.186	79	7340	3.240	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	64.800%
46) 2-Hexanone-d5	8.645	63	99425	68.279	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	136.560%#
56) 1,1,2,2-Tetrachloroeth...	10.761	84	36791	6.456	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	129.200%#
66) 1,2-Dichlorobenzene-d4	12.198	152	21857	4.830	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	96.600%
Target Compounds						Qvalue
3) Chloromethane	1.523	50	875	0.109	ug/L	# 81
16) Methylene chloride	3.054	84	6840	0.799	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092121\
Data File : VU044729.D
Acq On : 21 Sep 2021 12:14
Operator : SY/MD
Sample : M3789-15
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CG1

Quant Time: Sep 22 01:40:59 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Sep 22 01:40:07 2021
Response via : Initial Calibration









#3
Chloromethane
Concen: 0.109 ug/L
RT: 1.523 min Scan# 57
Delta R.T. 0.000 min
Lab File: VU044729.D
Acq: 21 Sep 2021 12:14

Instrument :
MSVOA_U
ClientSampleId :
C0CG1

Tgt Ion: 50 Resp: 875
Ion Ratio Lower Upper
50 100
52 43.0 22.6 42.0#



#16
Methylene chloride
Concen: 0.799 ug/L
RT: 3.054 min Scan# 533
Delta R.T. 0.000 min
Lab File: VU044729.D
Acq: 21 Sep 2021 12:14

Tgt Ion: 84 Resp: 6840
Ion Ratio Lower Upper
84 100
86 59.6 45.8 85.2
49 132.1 92.9 172.5

