

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU092218\  
 Data File : VU027027.D  
 Acq On : 22 Sep 2018 19:41  
 Operator : MD/SY  
 Sample : J4934-18  
 Misc : 5.0mL/MSVOA U/WATER  
 ALS Vial : 67 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 SA-MW128D-20180912

Quant Time: Sep 24 05:15:07 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\82U092218W.M  
 Quant Title : SW846 8260  
 QLast Update : Sat Sep 22 01:31:57 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 4.99  | 168  | 95187    | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 5.89  | 114  | 158515   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 9.09  | 117  | 150753   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 11.48 | 152  | 70939    | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc  | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|-------|---------|----------|
| 33) 1,2-Dichloroethane-d4   | 5.31  | 65   | 95908    | 50.06 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 100.12% |          |
| 35) Dibromofluoromethane    | 4.88  | 113  | 66946    | 48.72 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 97.44%  |          |
| 50) Toluene-d8              | 7.57  | 98   | 253969   | 48.50 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 97.00%  |          |
| 62) 4-Bromofluorobenzene    | 10.31 | 95   | 80755    | 44.94 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 89.88%  |          |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU092218\  
Data File : VU027027.D  
Acq On : 22 Sep 2018 19:41  
Operator : MD/SY  
Sample : J4934-18  
Misc : 5.0mL/MSVOA U/WATER  
ALS Vial : 67 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
SA-MW128D-20180912

Quant Time: Sep 24 05:15:07 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\82U092218W.M  
Quant Title : SW846 8260  
QLast Update : Sat Sep 22 01:31:57 2018  
Response via : Initial Calibration

