

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU092218\
 Data File : VU027011.D
 Acq On : 22 Sep 2018 10:47
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 24 04:33:26 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U092218W.M
 Quant Title : SW846 8260
 QLast Update : Sat Sep 22 01:31:57 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	98	0.00
2 T	Dichlorodifluoromethane	0.653	0.644	1.4	99	0.00
3 P	Chloromethane	1.126	1.092	3.0	102	0.00
4 C	Vinyl Chloride	1.051	1.044	0.7#	100	0.00
5 T	Bromomethane	0.598	0.560	6.4	102	0.00
6 T	Chloroethane	0.671	0.670	0.1	101	0.00
7 T	Trichlorofluoromethane	1.193	1.191	0.2	101	0.00
8 T	Diethyl Ether	0.574	0.581	-1.2	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.734	0.712	3.0	100	0.00
10 T	Methyl Iodide	0.910	0.807	11.3	87	0.00
11 T	Tert butyl alcohol	0.231	0.231	0.0	101	0.00
12 CM	1,1-Dichloroethene	0.691	0.683	1.2#	100	0.00
13 T	Acrolein	0.124	0.127	-2.4	95	0.00
14 T	Allyl chloride	1.401	1.466	-4.6	103	0.00
15 T	Acrylonitrile	0.581	0.602	-3.6	100	0.00
16 T	Acetone	0.658	0.531	19.3	94	0.00
17 T	Carbon Disulfide	2.250	2.196	2.4	100	0.00
18 T	Methyl Acetate	1.432	1.489	-4.0	102	0.00
19 T	Methyl tert-butyl Ether	2.538	2.735	-7.8	104	0.00
20 T	Methylene Chloride	0.901	0.857	4.9	100	0.00
21 T	trans-1,2-Dichloroethene	0.737	0.761	-3.3	100	0.00
22 T	Diisopropyl ether	2.996	3.365	-12.3	105	0.00
23 T	Vinyl Acetate	2.554	2.857	-11.9	104	0.00
24 P	1,1-Dichloroethane	1.650	1.735	-5.2	104	0.00
25 T	2-Butanone	0.846	0.857	-1.3	100	0.00
26 T	2,2-Dichloropropane	1.287	0.881	31.5#	68	0.00
27 T	cis-1,2-Dichloroethene	0.833	0.858	-3.0	100	0.00
28 T	Bromochloromethane	0.795	0.866	-8.9	104	0.00
29 T	Tetrahydrofuran	0.512	0.558	-9.0	103	0.00
30 C	Chloroform	1.532	1.553	-1.4#	101	0.00
31 T	Cyclohexane	1.687	1.597	5.3	104	0.00
32 T	1,1,1-Trichloroethane	1.223	1.262	-3.2	101	0.00
33 S	1,2-Dichloroethane-d4	1.006	1.021	-1.5	100	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	101	0.00
35 S	Dibromofluoromethane	0.433	0.432	0.2	99	0.00
36 T	1,1-Dichloropropene	0.667	0.692	-3.7	104	0.00
37 T	Ethyl Acetate	0.903	0.905	-0.2	101	0.00
38 T	Carbon Tetrachloride	0.635	0.640	-0.8	101	0.00
39 T	Methylcyclohexane	0.725	0.789	-8.8	102	0.00
40 TM	Benzene	2.029	2.065	-1.8	102	0.00
41 T	Methacrylonitrile	0.469	0.525	-11.9	106	0.00
42 TM	1,2-Dichloroethane	0.766	0.788	-2.9	101	0.00
43 T	Isopropyl Acetate	1.317	1.415	-7.4	104	0.00
44 TM	Trichloroethene	0.432	0.434	-0.5	100	0.00
45 C	1,2-Dichloropropane	0.578	0.599	-3.6#	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU092218\
 Data File : VU027011.D
 Acq On : 22 Sep 2018 10:47
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 24 04:33:26 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U092218W.M
 Quant Title : SW846 8260
 QLast Update : Sat Sep 22 01:31:57 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.349	0.353	-1.1	101	0.00
47 T	Bromodichloromethane	0.706	0.712	-0.8	102	0.00
48 T	Methyl methacrylate	0.642	0.720	-12.1	103	0.00
49 T	1,4-Dioxane	0.013	0.014	-7.7	102	0.00
50 S	Toluene-d8	1.652	1.678	-1.6	99	0.00
51 T	4-Methyl-2-Pentanone	0.886	0.976	-10.2	104	0.00
52 CM	Toluene	1.163	1.246	-7.1#	100	0.00
53 T	t-1,3-Dichloropropene	0.758	0.784	-3.4	97	0.00
54 T	cis-1,3-Dichloropropene	0.834	0.825	1.1	94	0.00
55 T	1,1,2-Trichloroethane	0.493	0.508	-3.0	101	0.00
56 T	Ethyl methacrylate	0.733	0.859	-17.2	107	0.00
57 T	1,3-Dichloropropane	0.916	0.971	-6.0	103	0.00
58 T	2-Chloroethyl Vinyl ether	0.420	0.476	-13.3	99	0.00
59 T	2-Hexanone	0.694	0.748	-7.8	103	0.00
60 T	Dibromochloromethane	0.483	0.503	-4.1	102	0.00
61 T	1,2-Dibromoethane	0.513	0.522	-1.8	99	0.00
62 S	4-Bromofluorobenzene	0.567	0.601	-6.0	104	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	101	0.00
64 T	Tetrachloroethene	0.385	0.379	1.6	103	0.00
65 PM	Chlorobenzene	1.326	1.284	3.2	102	0.00
66 T	1,1,1,2-Tetrachloroethane	0.457	0.453	0.9	101	0.00
67 C	Ethyl Benzene	2.180	2.321	-6.5#	102	0.00
68 T	m/p-Xylenes	0.798	0.874	-9.5	101	0.00
69 T	o-Xylene	0.772	0.838	-8.5	103	0.00
70 T	Styrene	1.247	1.396	-11.9	102	0.00
71 P	Bromoform	0.353	0.359	-1.7	103	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	99	0.00
73 T	Isopropylbenzene	3.803	4.189	-10.1	102	0.00
74 T	N-amyl acetate	2.202	2.428	-10.3	106	0.00
75 P	1,1,2,2-Tetrachloroethane	1.749	1.643	6.1	100	0.00
76 T	1,2,3-Trichloropropane	1.519	1.483	2.4	99	0.00
77 T	Bromobenzene	0.929	0.952	-2.5	100	0.00
78 T	n-propylbenzene	4.500	5.060	-12.4	100	0.00
79 T	2-Chlorotoluene	2.827	3.000	-6.1	102	0.00
80 T	1,3,5-Trimethylbenzene	3.140	3.499	-11.4	101	0.00
81 T	trans-1,4-Dichloro-2-butene	0.475	0.425	10.5	93	0.00
82 T	4-Chlorotoluene	3.170	3.426	-8.1	101	0.00
83 T	tert-Butylbenzene	3.104	3.295	-6.2	100	0.00
84 T	1,2,4-Trimethylbenzene	3.195	3.611	-13.0	101	0.00
85 T	sec-Butylbenzene	3.789	4.212	-11.2	101	0.00
86 T	p-Isopropyltoluene	3.186	3.594	-12.8	100	0.00
87 T	1,3-Dichlorobenzene	1.730	1.748	-1.0	100	0.00
88 T	1,4-Dichlorobenzene	1.885	1.788	5.1	100	0.00
89 T	n-Butylbenzene	2.969	3.350	-12.8	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU092218\
Data File : VU027011.D
Acq On : 22 Sep 2018 10:47
Operator : MD/SY
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 51 Sample Multiplier: 1

Instrument :
MSVOA_U
LabSampleId :
VSTDCCC050

Quant Time: Sep 24 04:33:26 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U092218W.M
Quant Title : SW846 8260
QLast Update : Sat Sep 22 01:31:57 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.689	0.677	1.7	102	0.00
91 T	1,2-Dichlorobenzene	1.837	1.764	4.0	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.357	0.366	-2.5	104	0.00
93 T	1,2,4-Trichlorobenzene	1.059	1.162	-9.7	102	0.00
94 T	Hexachlorobutadiene	0.560	0.546	2.5	96	0.00
95 T	Naphthalene	3.647	4.196	-15.1	102	0.00
96 T	1,2,3-Trichlorobenzene	1.135	1.233	-8.6	101	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6