

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU092218\
 Data File : VU026994.D
 Acq On : 22 Sep 2018 04:12
 Operator : MD/SY
 Sample : VU0922WBL02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0922WBL02

Quant Time: Sep 22 04:54:45 2018
 Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U092218W.M
 Quant Title : SW846 8260
 QLast Update : Sat Sep 22 01:31:57 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.99	168	76653	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	151694	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	153217	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	73918	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	5.31	65	91048	59.02	ug/l	0.00
Spiked Amount 50.000			Recovery	=	118.04%	
35) Dibromofluoromethane	4.88	113	67935	51.67	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.34%	
50) Toluene-d8	7.57	98	237855	47.47	ug/l	0.00
Spiked Amount 50.000			Recovery	=	94.94%	
62) 4-Bromofluorobenzene	10.31	95	83629	48.64	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.28%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU092218\
Data File : VU026994.D
Acq On : 22 Sep 2018 04:12
Operator : MD/SY
Sample : VU0922WBL02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VU0922WBL02

Quant Time: Sep 22 04:54:45 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U092218W.M
Quant Title : SW846 8260
QLast Update : Sat Sep 22 01:31:57 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.99 min Scan# 1186

Delta R.T. 0.00 min

Lab File: VU026994.D

Acq: 22 Sep 2018 04:12


Instrument :
MSVOA_U
ClientSampleId :
VU0922WBL02

Tot Ion:168 Resp: 76653

Ion Ratio Lower Upper

168 100

99 61.0 48.1 72.1



Abundance Ion 167.90 (167.60 to 168.60): VU026969.D (-1169) (-)

Ion 98.90 (98.60 to 99.60): VU026994.D (-1093) (-)

4.99

30000



20000

10000

0

4.90 5.00 5.10

Time-->



#33

1,2-Dichloroethane-d4

Concen: 59.016 ug/l

RT: 5.31 min Scan# 1287

Delta R.T. 0.00 min

Lab File: VU026994.D


Acq: 22 Sep 2018 04:12

Tgt Ion: 65 Resp: 91048

Ion Ratio Lower Upper

65 100

67 53.7 0.0 105.6



Abundance Ion 64.90 (64.60 to 65.60): VU026969.D (-1272) (-)

Ion 66.90 (66.60 to 67.60): VU026994.D (-1194) (-)

5.31

50000

40000

30000


20000


10000

0

5.20 5.30 5.40

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 5.89 min Scan# 1467

Delta R.T. 0.00 min

Lab File: VU026994.D

Acq: 22 Sep 2018 04:12

Instrument :

MSVOA_U

ClientSampleId :

VU0922WBL02


Tot Ion:114 Resp: 151694

Ion Ratio Lower Upper

114 100

63 23.9 0.0 49.2




88 17.1 0.0 33.8



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VU0

Ion 87.90 (87.60 to 88.60): VU0



#35

Dibromofluoromethane

Concen: 51.666 ug/l

RT: 4.88 min Scan# 1154

Delta R.T. 0.00 min

Lab File: VU026994.D

Acq: 22 Sep 2018 04:12


Tgt Ion:113 Resp: 67935

Ion Ratio Lower Upper

113 100

111 103.0 82.2 123.4



192 18.4 15.2 22.8




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 47.466 ug/l

RT: 7.57 min Scan# 1988

Delta R.T. -0.00 min

Lab File: VU026994.D

Acq: 22 Sep 2018 04:12

Instrument :

MSVOA_U

ClientSampleId :


VU0922WBL02

Tot Ion: 98 Resp: 237855

Ion Ratio Lower Upper

98 100

100 63.7 52.1 78.1



Abundance Ion 98.00 (97.70 to 98.70): VU0

Ion 100.00 (99.70 to 100.70): VU

7.57



150000

100000

50000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 48.637 ug/l

RT: 10.31 min Scan# 2841

Delta R.T. 0.00 min

Lab File: VU026994.D

Acq: 22 Sep 2018 04:12


Tgt Ion: 95 Resp: 83629

Ion Ratio Lower Upper

95 100

174 73.7 0.0 150.2

176 70.3 0.0 145.2



Abundance Ion 94.90 (94.60 to 95.60): VU0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V


60000


40000

20000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2463
Delta R.T. 0.00 min
Lab File: VU026994.D
Acq: 22 Sep 2018 04:12

Instrument :
MSVOA_U
ClientSampleId :
VU0922WBL02

Tot Ion:117 Resp: 153217
Ion Ratio Lower Upper
117 100
82 60.8 48.0 72.0
119 32.1 25.8 38.8




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VU0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.48 min Scan# 3207
Delta R.T. 0.00 min
Lab File: VU026994.D
Acq: 22 Sep 2018 04:12

Tgt Ion:152 Resp: 73918
Ion Ratio Lower Upper
152 100
115 60.3 44.9 134.5
150 157.7 0.0 355.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

