

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092221\
 Data File : VU044750.D
 Acq On : 22 Sep 2021 11:05
 Operator : SY/MD
 Sample : VU0922WBL07
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK028

Manual Integrations
 APPROVED

MMDadoda
 9/25/2021 9:36:46 AM

Quant Time: Sep 23 03:01:45 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 23 02:59:45 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	129395	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	130602	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	59574	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.600	65	33153	4.342	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	86.800%	
7) Chloroethane-d5	1.916	69	30152	3.870	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	77.400%	
11) 1,1-Dichloroethene-d2	2.571	65	14722	3.818	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	76.400%	
20) 2-Butanone-d5	4.642	46	131082m	40.957	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	81.920%	
24) Chloroform-d	5.070	84	70349	4.381	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	87.600%	
26) 1,2-Dichloroethane-d4	5.710	65	41402	4.324	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	86.400%	
32) Benzene-d6	5.735	84	132348	3.974	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	79.400%	
36) 1,2-Dichloropropane-d6	6.697	67	46590	4.260	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	85.200%	
41) Toluene-d8	7.906	98	104347	3.599	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	72.000%	
43) trans-1,3-Dichloroprop...	8.185	79	15535	4.030	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	80.600%	
46) 2-Hexanone-d5	8.645	63	96741	39.045	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	78.100%	
56) 1,1,2,2-Tetrachloroeth...	10.764	84	40362	4.162	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	83.200%	
66) 1,2-Dichlorobenzene-d4	12.198	152	41269	4.198	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	84.000%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092221\
Data File : VU044750.D
Acq On : 22 Sep 2021 11:05
Operator : SY/MD
Sample : VU0922WBL07
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK028

Manual Integrations
APPROVED

MMDadoda
9/25/2021 9:36:46 AM

Quant Time: Sep 23 03:01:45 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR090921WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Sep 23 02:59:45 2021
Response via : Initial Calibration

