

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
 Data File : VU050897.D
 Acq On : 22 Sep 2022 14:54
 Operator : JC/MD
 Sample : N4748-06
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ESQS3

Quant Time: Sep 23 01:11:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 23 01:08:30 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	392198	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	384208	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	136398	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.598	65	143073	35.210	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	70.420%	
7) Chloroethane-d5	1.903	69	127229	43.964	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	87.920%	
11) 1,1-Dichloroethene-d2	2.562	63	184093	29.116	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	58.240%#	
21) 2-Butanone-d5	4.617	46	316443	120.626	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	120.630%	
24) Chloroform-d	5.060	84	289869	45.520	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	91.040%	
26) 1,2-Dichloroethane-d4	5.700	65	189653	48.327	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	96.660%	
32) Benzene-d6	5.726	84	549624	43.431	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	86.860%	
36) 1,2-Dichloropropane-d6	6.687	67	196276	45.949	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	91.900%	
41) Toluene-d8	7.896	98	438895	39.676	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	79.360%#	
43) trans-1,3-Dichloroprop...	8.179	79	78292	42.131	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	84.260%	
47) 2-Hexanone-d5	8.633	63	179512	101.976	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	101.980%	
56) 1,1,2,2-Tetrachloroeth...	10.755	84	307493	47.215	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	94.440%	
66) 1,2-Dichlorobenzene-d4	12.192	152	145013	50.778	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	101.560%	
Target Compounds						
13) Acetone	2.623	43	4683	2.108	ug/L	Qvalue 60


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
Data File : VU050897.D
Acq On : 22 Sep 2022 14:54
Operator : JC/MD
Sample : N4748-06
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ESQS3

Quant Time: Sep 23 01:11:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 23 01:08:30 2022
Response via : Initial Calibration





#13
Acetone
Concen: 2.108 ug/L
RT: 2.623 min Scan# 399
Delta R.T. 0.000 min
Lab File: VU050897.D
Acq: 22 Sep 2022 14:54

Instrument :
MSVOA_U
ClientSampleId :
ESQS3

Tgt Ion: 43 Resp: 4683
Ion Ratio Lower Upper
43 100
58 12.1 0.0 71.4

