

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
 Data File : VU050895.D
 Acq On : 22 Sep 2022 14:06
 Operator : JC/MD
 Sample : N4748-04
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ESQS1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M

Title : VOC Analysis

Signal : TIC: VU050895.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	73	80	95	rVB	202287	237078	14.14%	1.912%
2	1.903	167	175	195	rVB	164738	226727	13.52%	1.829%
3	2.565	368	381	394	rBV	325567	535312	31.93%	4.317%
4	2.793	441	452	459	rVV2	2305	4060	0.24%	0.033%
5	2.864	470	474	478	rBV3	673	496	0.03%	0.004%
6	2.919	487	491	493	rBV3	378	247	0.01%	0.002%
7	2.941	495	498	504	rVV3	580	487	0.03%	0.004%
8	3.047	522	531	538	rBV4	1757	2736	0.16%	0.022%
9	3.089	541	544	547	rVB	454	292	0.02%	0.002%
10	3.163	561	567	568	rBV2	525	499	0.03%	0.004%
11	3.182	568	573	580	rVB4	893	1521	0.09%	0.012%
12	3.247	590	593	597	rBV2	324	258	0.02%	0.002%
13	3.359	620	628	631	rBV5	1383	1867	0.11%	0.015%
14	3.440	651	653	657	rVB	423	231	0.01%	0.002%
15	3.536	678	683	687	rBV2	373	406	0.02%	0.003%
16	3.642	710	716	718	rBV2	478	482	0.03%	0.004%
17	3.700	729	734	737	rBV2	217	239	0.01%	0.002%
18	3.813	764	769	771	rBV2	298	262	0.02%	0.002%
19	3.864	782	785	789	rVB3	295	247	0.01%	0.002%
20	4.192	881	887	892	rVV2	219	245	0.01%	0.002%
21	4.327	926	929	935	rVV3	278	290	0.02%	0.002%
22	4.472	972	974	977	rVB2	511	249	0.01%	0.002%
23	4.494	977	981	987	rBV2	385	449	0.03%	0.004%
24	4.523	987	990	993	rBV	446	293	0.02%	0.002%
25	4.616	1006	1019	1046	rBV	214376	517127	30.84%	4.171%
26	5.060	1140	1157	1184	rBV	311523	682750	40.72%	5.506%
27	5.491	1288	1291	1294	rBV3	330	243	0.01%	0.002%
28	5.530	1300	1303	1310	rVB4	645	595	0.04%	0.005%
29	5.575	1313	1317	1318	rBV2	396	241	0.01%	0.002%
30	5.722	1341	1363	1393	rBV2	614309	1676604	100.00%	13.522%
31	5.970	1438	1440	1442	rVB4	740	289	0.02%	0.002%
32	6.092	1475	1478	1481	rBV2	556	358	0.02%	0.003%
33	6.247	1510	1526	1548	rBV	487405	921007	54.93%	7.428%
34	6.530	1601	1614	1627	rBV5	11134	21812	1.30%	0.176%
35	6.690	1648	1664	1683	rBV	403716	783728	46.74%	6.321%
36	7.050	1772	1776	1778	rBV	333	245	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
 Data File : VU050895.D
 Acq On : 22 Sep 2022 14:06
 Operator : JC/MD
 Sample : N4748-04
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ESQS1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Title : VOC Analysis

37	7.105	1790	1793	1796	rBV	522	335	0.02%	0.003%
38	7.121	1796	1798	1802	rVV2	428	258	0.02%	0.002%
39	7.182	1806	1817	1829	rBV7	2609	4901	0.29%	0.040%
40	7.349	1867	1869	1879	rVV2	240	355	0.02%	0.003%

41	7.459	1895	1903	1906	rBV2	237	287	0.02%	0.002%
42	7.565	1923	1936	1954	rBV	197343	351371	20.96%	2.834%
43	7.803	1998	2010	2018	rBV3	1508	2873	0.17%	0.023%
44	7.838	2018	2021	2024	rBV3	433	248	0.01%	0.002%
45	7.896	2025	2039	2054	rBV	671612	1157251	69.02%	9.333%

46	8.179	2115	2127	2143	rBV	141406	236091	14.08%	1.904%
47	8.314	2166	2169	2171	rBV2	528	401	0.02%	0.003%
48	8.507	2226	2229	2233	rBV2	271	268	0.02%	0.002%
49	8.555	2235	2244	2251	rVB8	3166	4637	0.28%	0.037%
50	8.632	2255	2268	2301	rBV2	569029	1101558	65.70%	8.884%

51	8.854	2333	2337	2341	rBV4	658	657	0.04%	0.005%
52	8.886	2345	2347	2351	rBV2	360	242	0.01%	0.002%
53	9.002	2379	2383	2387	rBV3	447	484	0.03%	0.004%
54	9.086	2403	2409	2411	rBV2	314	262	0.02%	0.002%
55	9.211	2443	2448	2453	rBV2	366	403	0.02%	0.003%

56	9.314	2477	2480	2483	rVB2	449	254	0.02%	0.002%
57	9.417	2498	2512	2538	rBV	670613	1109934	66.20%	8.951%
58	9.555	2552	2555	2556	rBV2	808	446	0.03%	0.004%
59	9.568	2556	2559	2562	rVV4	1631	1155	0.07%	0.009%
60	9.626	2572	2577	2581	rVB3	438	376	0.02%	0.003%

61	9.697	2590	2599	2607	rVB6	1759	3311	0.20%	0.027%
62	9.748	2613	2615	2620	rBV2	327	308	0.02%	0.002%
63	9.877	2646	2655	2657	rBV3	295	419	0.02%	0.003%
64	10.115	2719	2729	2733	rBV6	1964	3152	0.19%	0.025%
65	10.185	2747	2751	2756	rBV	452	398	0.02%	0.003%

66	10.439	2825	2830	2834	rBV	280	311	0.02%	0.003%
67	10.481	2840	2843	2849	rVB2	938	737	0.04%	0.006%
68	10.671	2895	2902	2909	rVB5	1616	2039	0.12%	0.016%
69	10.754	2915	2928	2946	rBV	610013	972228	57.99%	7.841%
70	10.883	2962	2968	2969	rBV4	853	746	0.04%	0.006%

71	11.018	3003	3010	3012	rBV3	359	368	0.02%	0.003%
72	11.089	3028	3032	3038	rVV3	1031	1143	0.07%	0.009%
73	11.124	3038	3043	3046	rVB4	709	594	0.04%	0.005%
74	11.404	3125	3130	3135	rBV3	695	542	0.03%	0.004%
75	11.459	3142	3147	3148	rBV2	1196	937	0.06%	0.008%

76	11.697	3217	3221	3229	rVB3	655	669	0.04%	0.005%
----	--------	------	------	------	------	-----	-----	-------	--------

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
 Data File : VU050895.D
 Acq On : 22 Sep 2022 14:06
 Operator : JC/MD
 Sample : N4748-04
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ESQS1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Title : VOC Analysis

77	11.748	3229	3237	3245	rVB6	2492	3623	0.22%	0.029%
78	11.812	3245	3257	3274	rBV	513142	828644	49.42%	6.683%
79	12.041	3325	3328	3330	rBV2	526	398	0.02%	0.003%
80	12.070	3334	3337	3340	rBV2	579	487	0.03%	0.004%
81	12.111	3348	3350	3356	rVB2	391	254	0.02%	0.002%
82	12.192	3362	3375	3398	rBV	579924	947442	56.51%	7.641%
83	12.340	3418	3421	3423	rBV3	583	365	0.02%	0.003%
84	12.397	3436	3439	3442	rBV2	518	458	0.03%	0.004%
85	12.442	3448	3453	3458	rBV4	675	849	0.05%	0.007%
86	12.574	3492	3494	3500	rBV4	363	314	0.02%	0.003%
87	12.696	3528	3532	3535	rBV3	467	356	0.02%	0.003%
88	12.825	3570	3572	3577	rBV2	392	337	0.02%	0.003%
89	13.089	3652	3654	3661	rBV2	440	473	0.03%	0.004%
90	13.147	3669	3672	3675	rBV2	687	492	0.03%	0.004%
91	13.224	3690	3696	3705	rVB5	2380	3724	0.22%	0.030%
92	13.327	3725	3728	3730	rBV	390	278	0.02%	0.002%
93	13.404	3750	3752	3755	rBV	492	236	0.01%	0.002%
94	13.848	3882	3890	3900	rVB6	4313	6565	0.39%	0.053%
95	14.092	3958	3966	3979	rBV2	7113	11571	0.69%	0.093%
96	14.333	4035	4041	4052	rVB5	4553	7001	0.42%	0.056%
97	14.549	4106	4108	4116	rBV4	790	951	0.06%	0.008%
98	14.999	4245	4248	4252	rVB3	748	511	0.03%	0.004%
99	15.217	4313	4316	4319	rBV2	846	443	0.03%	0.004%
100	15.925	4534	4536	4540	rBV2	981	808	0.05%	0.007%


Sum of corrected areas: 12399501

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
Data File : VU050895.D
Acq On : 22 Sep 2022 14:06
Operator : JC/MD
Sample : N4748-04
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ESQS1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
Data File : VU050895.D
Acq On : 22 Sep 2022 14:06
Operator : JC/MD
Sample : N4748-04
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ESQS1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
Data File : VU050895.D
Acq On : 22 Sep 2022 14:06
Operator : JC/MD
Sample : N4748-04
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ESQS1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc