

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
 Data File : VU050907.D
 Acq On : 22 Sep 2022 18:49
 Operator : JC/MD
 Sample : N4747-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E45A4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Title : VOC Analysis

Signal : TIC: VU050907.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	73	80	100	rVB	251868	299747	16.46%	2.005%
2	1.906	168	176	193	rVB	188070	253029	13.89%	1.692%
3	2.565	367	381	396	rBV	379510	614864	33.76%	4.112%
4	2.732	431	433	439	rVB3	570	587	0.03%	0.004%
5	2.761	439	442	444	rBV2	890	523	0.03%	0.003%
6	2.787	446	450	452	rBV2	868	558	0.03%	0.004%
7	2.871	473	476	483	rVB3	678	687	0.04%	0.005%
8	3.041	525	529	537	rVB7	1590	2018	0.11%	0.013%
9	3.353	614	626	638	rVB3	4520	8605	0.47%	0.058%
10	3.449	653	656	660	rBV3	421	382	0.02%	0.003%
11	3.694	727	732	735	rBV2	310	339	0.02%	0.002%
12	3.922	795	803	805	rBV2	391	469	0.03%	0.003%
13	4.054	835	844	847	rBV2	287	477	0.03%	0.003%
14	4.616	1006	1019	1028	rBV	213508	482391	26.49%	3.226%
15	4.822	1080	1083	1089	rBV3	617	549	0.03%	0.004%
16	4.993	1133	1136	1140	rVV2	610	425	0.02%	0.003%
17	5.060	1140	1157	1185	rVV	331860	719169	39.49%	4.810%
18	5.182	1191	1195	1198	rBV2	537	416	0.02%	0.003%
19	5.288	1224	1228	1232	rBV5	1313	1275	0.07%	0.009%
20	5.604	1322	1326	1331	rBV2	577	449	0.02%	0.003%
21	5.723	1341	1363	1390	rBV2	679243	1821096	100.00%	12.180%
22	5.973	1438	1441	1447	rVB5	1290	1012	0.06%	0.007%
23	6.128	1483	1489	1496	rVB4	547	603	0.03%	0.004%
24	6.247	1512	1526	1547	rBV	507163	958531	52.63%	6.411%
25	6.539	1602	1617	1640	rBV	754905	1424474	78.22%	9.527%
26	6.690	1650	1664	1685	rVB	433087	839952	46.12%	5.618%
27	7.044	1770	1774	1778	rBV3	417	481	0.03%	0.003%
28	7.121	1792	1798	1800	rBV2	542	525	0.03%	0.004%
29	7.189	1810	1819	1826	rBV8	1449	2719	0.15%	0.018%
30	7.481	1905	1910	1913	rBV3	467	377	0.02%	0.003%
31	7.565	1923	1936	1953	rBV	214925	379554	20.84%	2.539%
32	7.896	2026	2039	2055	rBV	776080	1325425	72.78%	8.865%
33	8.179	2114	2127	2140	rBV	155694	264004	14.50%	1.766%
34	8.468	2207	2217	2218	rBV3	1991	2212	0.12%	0.015%
35	8.632	2254	2268	2308	rBV2	575817	1118896	61.44%	7.483%
36	8.941	2361	2364	2368	rBV2	558	391	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
 Data File : VU050907.D
 Acq On : 22 Sep 2022 18:49
 Operator : JC/MD
 Sample : N4747-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E45A4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Title : VOC Analysis

37	8.970	2370	2373	2377	rVB2	481	352	0.02%	0.002%
38	9.005	2377	2384	2389	rBV4	743	1044	0.06%	0.007%
39	9.060	2394	2401	2404	rBV4	501	611	0.03%	0.004%
40	9.417	2499	2512	2539	rBV	701838	1167224	64.09%	7.807%
41	9.639	2575	2581	2585	rBV4	480	560	0.03%	0.004%
42	9.693	2590	2598	2610	rVB6	1908	3276	0.18%	0.022%
43	9.751	2610	2616	2620	rBV3	475	492	0.03%	0.003%
44	9.861	2647	2650	2658	rVV2	869	1031	0.06%	0.007%
45	10.118	2727	2730	2732	rBV3	599	371	0.02%	0.002%
46	10.401	2814	2818	2824	rVB2	435	506	0.03%	0.003%
47	10.436	2824	2829	2832	rBV2	573	603	0.03%	0.004%
48	10.484	2838	2844	2850	rVB4	1362	1678	0.09%	0.011%
49	10.642	2891	2893	2895	rVV	725	397	0.02%	0.003%
50	10.668	2896	2901	2908	rVB5	2844	3211	0.18%	0.021%
51	10.755	2915	2928	2953	rVV	620320	995998	54.69%	6.661%
52	10.899	2961	2973	2983	rVB8	3829	7174	0.39%	0.048%
53	10.986	2997	3000	3003	rBV2	610	445	0.02%	0.003%
54	11.028	3003	3013	3020	rVV4	4018	6228	0.34%	0.042%
55	11.057	3020	3022	3025	rVB2	690	346	0.02%	0.002%
56	11.111	3035	3039	3049	rVB7	1198	1853	0.10%	0.012%
57	11.153	3049	3052	3057	rBV4	457	337	0.02%	0.002%
58	11.195	3061	3065	3066	rBV3	630	422	0.02%	0.003%
59	11.291	3087	3095	3105	rBV2	3506	5899	0.32%	0.039%
60	11.333	3105	3108	3111	rVB3	442	338	0.02%	0.002%
61	11.414	3127	3133	3140	rBV7	1068	1846	0.10%	0.012%
62	11.468	3140	3150	3164	rVB	34846	54944	3.02%	0.367%
63	11.581	3179	3185	3189	rBV4	756	832	0.05%	0.006%
64	11.600	3189	3191	3196	rVB5	398	377	0.02%	0.003%
65	11.632	3197	3201	3205	rBV2	689	556	0.03%	0.004%
66	11.652	3205	3207	3211	rVB	493	354	0.02%	0.002%
67	11.690	3214	3219	3221	rBV4	1729	1622	0.09%	0.011%
68	11.748	3232	3237	3238	rBV4	699	543	0.03%	0.004%
69	11.809	3244	3256	3273	rBV	584109	937196	51.46%	6.268%
70	11.973	3302	3307	3312	rBV5	2322	2501	0.14%	0.017%
71	12.063	3325	3335	3355	rBV6	19565	44237	2.43%	0.296%
72	12.192	3362	3375	3394	rBV	681974	1113651	61.15%	7.448%
73	12.301	3407	3409	3414	rVB4	1163	941	0.05%	0.006%
74	12.465	3453	3460	3464	rBV3	3260	4551	0.25%	0.030%
75	12.574	3487	3494	3500	rVB3	3902	5444	0.30%	0.036%
76	12.674	3519	3525	3526	rBV6	1320	1281	0.07%	0.009%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
 Data File : VU050907.D
 Acq On : 22 Sep 2022 18:49
 Operator : JC/MD
 Sample : N4747-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E45A4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Title : VOC Analysis

77	12.873	3580	3587	3588	rBV5	1412	1295	0.07%	0.009%
78	12.889	3588	3592	3602	rVB9	4085	6068	0.33%	0.041%
79	12.928	3602	3604	3607	rVB4	797	371	0.02%	0.002%
80	12.960	3607	3614	3616	rBV5	1855	1814	0.10%	0.012%
81	13.028	3628	3635	3650	rVB5	3830	7381	0.41%	0.049%
82	13.095	3652	3656	3658	rBV3	901	723	0.04%	0.005%
83	13.143	3667	3671	3673	rBV5	856	627	0.03%	0.004%
84	13.230	3692	3698	3701	rBV5	717	681	0.04%	0.005%
85	13.250	3702	3704	3706	rBV2	861	434	0.02%	0.003%
86	13.391	3746	3748	3751	rVB3	826	487	0.03%	0.003%
87	13.455	3760	3768	3776	rVB7	4116	6605	0.36%	0.044%
88	13.626	3815	3821	3828	rVB8	2256	2430	0.13%	0.016%
89	13.700	3838	3844	3849	rVB6	1630	2162	0.12%	0.014%
90	13.748	3857	3859	3863	rVB4	996	715	0.04%	0.005%
91	14.089	3961	3965	3979	rVB4	5893	10331	0.57%	0.069%
92	14.163	3985	3988	3991	rBV4	1164	1006	0.06%	0.007%
93	14.256	4015	4017	4021	rBV2	575	458	0.03%	0.003%
94	14.336	4035	4042	4049	rBV7	1655	2777	0.15%	0.019%
95	14.571	4113	4115	4122	rVB7	1761	1761	0.10%	0.012%
96	14.735	4161	4166	4169	rBV4	1357	1333	0.07%	0.009%
97	14.806	4186	4188	4192	rBV5	1142	597	0.03%	0.004%
98	15.018	4250	4254	4257	rBV3	1409	1454	0.08%	0.010%
99	15.532	4411	4414	4417	rBV4	1500	910	0.05%	0.006%
100	15.606	4434	4437	4438	rBV2	1570	853	0.05%	0.006%




Sum of corrected areas: 14951756

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
Data File : VU050907.D
Acq On : 22 Sep 2022 18:49
Operator : JC/MD
Sample : N4747-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E45A4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
Data File : VU050907.D
Acq On : 22 Sep 2022 18:49
Operator : JC/MD
Sample : N4747-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E45A4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092222\
Data File : VU050907.D
Acq On : 22 Sep 2022 18:49
Operator : JC/MD
Sample : N4747-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E45A4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------