

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU092318\  
 Data File : VU027076.D  
 Acq On : 23 Sep 2018 16:51  
 Operator : MD/SY  
 Sample : J4980-02  
 Misc : 5.0mL/MSVOA U/WATER  
 ALS Vial : 118 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 BPSI-HN-MW29D-20180916

Quant Time: Sep 24 08:42:21 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\82U092218W.M  
 Quant Title : SW846 8260  
 QLast Update : Sat Sep 22 01:31:57 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 4.99  | 168  | 93071    | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 5.89  | 114  | 157732   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 9.09  | 117  | 152741   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 11.48 | 152  | 70205    | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc  | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|-------|---------|----------|
| 33) 1,2-Dichloroethane-d4   | 5.31  | 65   | 97452    | 52.02 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 104.04% |          |
| 35) Dibromofluoromethane    | 4.88  | 113  | 67195    | 49.15 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 98.30%  |          |
| 50) Toluene-d8              | 7.57  | 98   | 254716   | 48.88 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 97.76%  |          |
| 62) 4-Bromofluorobenzene    | 10.31 | 95   | 80674    | 45.12 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 90.24%  |          |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU092318\  
Data File : VU027076.D  
Acq On : 23 Sep 2018 16:51  
Operator : MD/SY  
Sample : J4980-02  
Misc : 5.0mL/MSVOA U/WATER  
ALS Vial : 118 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
BPSI-HN-MW29D-20180916

Quant Time: Sep 24 08:42:21 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\82U092218W.M  
Quant Title : SW846 8260  
QLast Update : Sat Sep 22 01:31:57 2018  
Response via : Initial Calibration

