

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU092318\
 Data File : VU027046.D
 Acq On : 23 Sep 2018 03:48
 Operator : MD/SY
 Sample : J4958-22
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 88 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BPS1-TT-MW309D-20180915

Quant Time: Sep 24 06:33:21 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U092218W.M
 Quant Title : SW846 8260
 QLast Update : Sat Sep 22 01:31:57 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.99	168	94074	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	157674	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	150936	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	68247	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.31	65	96093	50.75	ug/l	0.00
Spiked Amount	50.000		Recovery	=	101.50%	
35) Dibromofluoromethane	4.88	113	67359	49.29	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.58%	
50) Toluene-d8	7.57	98	244823	47.00	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.00%	
62) 4-Bromofluorobenzene	10.31	95	80585	45.09	ug/l	0.00
Spiked Amount	50.000		Recovery	=	90.18%	


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU092318\
Data File : VU027046.D
Acq On : 23 Sep 2018 03:48
Operator : MD/SY
Sample : J4958-22
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 88 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BPS1-TT-MW309D-20180915

Quant Time: Sep 24 06:33:21 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U092218W.M
Quant Title : SW846 8260
QLast Update : Sat Sep 22 01:31:57 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.99 min Scan# 1186

Delta R.T. 0.00 min

Lab File: VU027046.D

Acq: 23 Sep 2018 03:48

Instrument :

MSVOA_U

ClientSampleId :


BPS1-TT-MW309D-20180915

Tot Ion:168 Resp: 94074

Ion Ratio Lower Upper

168 100

99 64.4 48.1 72.1



Abundance Ion 167.90 (167.60 to 168.60): VU026969.D (-1169) (-)

Ion 98.90 (98.60 to 99.60): VU027046.D (-1093) (-)

4.99

50000

40000

30000



20000

10000

0

4.90 4.95 5.00 5.05 5.10

Time-->



#33

1,2-Dichloroethane-d4

Concen: 50.752 ug/l

RT: 5.31 min Scan# 1287

Delta R.T. 0.00 min

Lab File: VU027046.D


Acq: 23 Sep 2018 03:48

Tgt Ion: 65 Resp: 96093

Ion Ratio Lower Upper

65 100

67 53.9 0.0 105.6



Abundance Ion 64.90 (64.60 to 65.60): VU026969.D (-1272) (-)

Ion 66.90 (66.60 to 67.60): VU027046.D (-1194) (-)

5.31

50000

40000

30000


20000

10000

0

5.20 5.25 5.30 5.35 5.40

Time-->








#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 5.89 min Scan# 1467
 Delta R.T. 0.00 min
 Lab File: VU027046.D
 Acq: 23 Sep 2018 03:48

Instrument :
 MSVOA_U
 ClientSampleId :
 BPS1-TT-MW309D-20180915

Tot Ion:114 Resp: 157674
 Ion Ratio Lower Upper
 114 100
 63 24.7 0.0 49.2
 88 17.2 0.0 33.8




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VU0
 Ion 87.90 (87.60 to 88.60): VU0





#35
 Dibromofluoromethane
 Concen: 49.285 ug/l
 RT: 4.88 min Scan# 1154
 Delta R.T. 0.00 min
 Lab File: VU027046.D
 Acq: 23 Sep 2018 03:48

Tgt Ion:113 Resp: 67359
 Ion Ratio Lower Upper
 113 100
 111 102.5 82.2 123.4
 192 18.0 15.2 22.8



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 47.003 ug/l

RT: 7.57 min Scan# 1989

Delta R.T. 0.00 min

Lab File: VU027046.D

Acq: 23 Sep 2018 03:48

Instrument :

MSVOA_U

ClientSampleId :


BPS1-TT-MW309D-20180915

Tot Ion: 98 Resp: 244823

Ion Ratio Lower Upper

98 100

100 64.1 52.1 78.1



Abundance Ion 98.00 (97.70 to 98.70): VU026969.D (-1974) (-)

Ion 100.00 (99.70 to 100.70): VU026969.D (-1974) (-)

7.57



150000

100000

50000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 45.089 ug/l

RT: 10.31 min Scan# 2841

Delta R.T. 0.00 min

Lab File: VU027046.D

Acq: 23 Sep 2018 03:48


Tgt Ion: 95 Resp: 80585

Ion Ratio Lower Upper

95 100

174 73.0 0.0 150.2

176 71.4 0.0 145.2



Abundance Ion 94.90 (94.60 to 95.60): VU026969.D (-2828) (-)

Ion 173.80 (173.50 to 174.50): VU026969.D (-2828) (-)

Ion 175.80 (175.50 to 176.50): VU026969.D (-2828) (-)

10.31


60000

40000

20000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2462
Delta R.T. -0.00 min
Lab File: VU027046.D
Acq: 23 Sep 2018 03:48

Instrument :
MSVOA_U
ClientSampleId :
BPS1-TT-MW309D-20180915

Tot Ion:117 Resp: 150936
Ion Ratio Lower Upper
117 100
82 62.9 48.0 72.0
119 32.3 25.8 38.8




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VU0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.48 min Scan# 3207
Delta R.T. 0.00 min
Lab File: VU027046.D
Acq: 23 Sep 2018 03:48

Tgt Ion:152 Resp: 68247
Ion Ratio Lower Upper
152 100
115 62.3 44.9 134.5
150 159.6 0.0 355.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

