

Data File : VU034780.D
Acq On : 24 Sep 2019 18:46
Operator : JC/SP
Sample : K4932-09
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Sep 25 03:04:54 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Sep 25 02:59:31 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	594905	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	545737	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	256957	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	228659	37.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	75.08%
7) Chloroethane-d5	1.67	69	204220	43.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.78%
11) 1,1-Dichloroethene-d2	2.26	63	320561	31.08	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.16%
21) 2-Butanone-d5	4.15	46	466907	100.03	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.03%
24) Chloroform-d	4.62	84	418009	47.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.42%
26) 1,2-Dichloroethane-d4	5.28	65	290795	44.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.36%
32) Benzene-d6	5.32	84	873802	51.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.32%
36) 1,2-Dichloropropane-d6	6.31	67	307063	51.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.88%
41) Toluene-d8	7.54	98	817288	50.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.58%
43) trans-1,3-Dichloropropene-	7.83	79	137078	48.41	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.82%
47) 2-Hexanone-d5	8.29	63	318456	107.24	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	107.24%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	393548	47.97	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.94%
64) 1,2-Dichlorobenzene-d4	11.84	152	291957	54.18	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.36%


Target Compounds					Qvalue
59) 1,2,3-Trichloropropane	11.46	75	35170	4.996 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU034780.D
Acq On : 24 Sep 2019 18:46
Operator : JC/SP
Sample : K4932-09
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Sep 25 03:04:54 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Sep 25 02:59:31 2019
Response via : Initial Calibration





#59

1,2,3-Trichloropropane

Concen: 4.996 ug/L

RT: 11.46 min Scan# 3225

Delta R.T. 0.99 min

Lab File: VU034780.D

Acq: 24 Sep 2019 18:46

Instrument :

MSVOA_U

ClientSampleId :

VHBLK01

Tgt Ion: 75 Resp: 35170

Ion Ratio Lower Upper

75 100

77 36.1 24.6 37.0

