

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092421\
 Data File : VU044808.D
 Acq On : 24 Sep 2021 13:37
 Operator : SY/MD
 Sample : M3873-07DL 5X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW7X7DL

Quant Time: Sep 25 02:38:39 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 25 02:36:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	267341	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	255269	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.816	152	109765	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	116178	39.697	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	79.400%		
7) Chloroethane-d5	1.909	69	100741	43.439	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	86.880%		
11) 1,1-Dichloroethene-d2	2.568	63	151629	30.852	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	61.700%		
21) 2-Butanone-d5	4.636	46	240527	103.958	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	103.960%		
24) Chloroform-d	5.070	84	199430	43.146	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	86.300%		
26) 1,2-Dichloroethane-d4	5.706	65	142468	45.503	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	91.000%		
32) Benzene-d6	5.732	84	406805	45.926	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	91.860%		
36) 1,2-Dichloropropane-d6	6.697	67	134420	46.541	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	93.080%		
41) Toluene-d8	7.903	98	331489	43.365	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	86.740%		
43) trans-1,3-Dichloroprop...	8.182	79	56712	44.142	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	88.280%		
47) 2-Hexanone-d5	8.639	63	159923	99.917	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	99.920%		
56) 1,1,2,2-Tetrachloroeth...	10.761	84	199898	44.447	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	88.900%		
66) 1,2-Dichlorobenzene-d4	12.195	152	117571	49.218	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	98.440%		
Target Compounds						Qvalue
5) Vinyl chloride	1.607	62	70638	22.597	ug/L	94
17) trans-1,2-Dichloroethene	3.359	96	4364	2.001	ug/L	94
20) cis-1,2-Dichloroethene	4.674	96	167231	69.589	ug/L	96
29) Cyclohexane	5.391	56	5757	1.500	ug/L #	94
33) Benzene	5.780	78	5062	0.535	ug/L	100
42) Toluene	7.973	91	5348	0.556	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092421\
Data File : VU044808.D
Acq On : 24 Sep 2021 13:37
Operator : SY/MD
Sample : M3873-07DL 5X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW7X7DL

Quant Time: Sep 25 02:38:39 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092321WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 25 02:36:00 2021
Response via : Initial Calibration

