

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092424\
 Data File : VU060992.D
 Acq On : 24 Sep 2024 12:52
 Operator : MD/SY
 Sample : P4092-03DL 400X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B17DL

Quant Time: Sep 25 04:47:55 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091624WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Sep 25 04:46:41 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	122398	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	127551	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	50421	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	47410	4.307	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	86.200%	
7) Chloroethane-d5	1.911	69	37163	4.741	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	94.800%	
11) 1,1-Dichloroethene-d2	2.560	65	17537	4.494	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	89.800%	
20) 2-Butanone-d5	4.634	46	92509	52.344	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	104.680%	
24) Chloroform-d	5.052	84	81619	4.850	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	97.000%	
26) 1,2-Dichloroethane-d4	5.695	65	41453	5.153	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	103.000%	
32) Benzene-d6	5.718	84	152613	4.464	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	89.200%	
36) 1,2-Dichloropropane-d6	6.682	67	52485	4.962	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	99.200%	
41) Toluene-d8	7.891	98	122417	3.928	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	78.600%	
43) trans-1,3-Dichloroprop...	8.174	79	16819	4.417	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	88.400%	
46) 2-Hexanone-d5	8.631	63	70728	47.091	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	94.180%	
56) 1,1,2,2-Tetrachloroeth...	10.749	84	40688	4.910	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	98.200%	
66) 1,2-Dichlorobenzene-d4	12.187	152	40378	4.766	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	95.400%	
Target Compounds						
					Qvalue	
22) cis-1,2-Dichloroethene	4.660	96	10410	1.179	ug/L	91
34) Trichloroethene	6.534	95	101978	11.092	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092424\
Data File : VU060992.D
Acq On : 24 Sep 2024 12:52
Operator : MD/SY
Sample : P4092-03DL 400X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B17DL

Quant Time: Sep 25 04:47:55 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091624WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Sep 25 04:46:41 2024
Response via : Initial Calibration









#22
cis-1,2-Dichloroethene
Concen: 1.179 ug/L
RT: 4.660 min Scan# 1048
Delta R.T. 0.000 min
Lab File: VU060992.D
Acq: 24 Sep 2024 12:52

Instrument :
MSVOA_U
ClientSampleId :
C0B17DL

Tgt Ion:	96	Resp:	10410
Ion	Ratio	Lower	Upper
96	100		
61	118.6	89.7	166.5
98	57.4	45.1	83.9



#34
Trichloroethene
Concen: 11.092 ug/L
RT: 6.534 min Scan# 1631
Delta R.T. 0.000 min
Lab File: VU060992.D
Acq: 24 Sep 2024 12:52

Tgt Ion:	95	Resp:	101978
Ion	Ratio	Lower	Upper
95	100		
97	62.8	44.9	83.5
132	91.8	63.5	117.9
130	98.4	70.2	130.4

