

Data File : VU034795.D
Acq On : 25 Sep 2019 12:01
Operator : JC/SP
Sample : VU0925MBL01
Misc : 5.0g/5mL/100uL/5.00mL/MSVOA_U/MEOH
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK42

Quant Time: Sep 26 04:43:40 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 26 04:40:46 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	464225	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	430626	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	193550	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	207141	43.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.18%
7) Chloroethane-d5	1.79	69	471	0.13	ug/L	0.12
Spiked Amount	50.000	Range	70 - 130	Recovery	=	0.26%#
11) 1,1-Dichloroethene-d2	2.26	63	281354	34.96	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.92%
21) 2-Butanone-d5	4.15	46	374985	102.95	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.95%
24) Chloroform-d	4.62	84	332378	48.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.22%
26) 1,2-Dichloroethane-d4	5.28	65	247762	48.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.56%
32) Benzene-d6	5.32	84	731576	54.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.62%
36) 1,2-Dichloropropane-d6	6.31	67	256420	54.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	109.92%
41) Toluene-d8	7.54	98	691162	54.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.86%
43) trans-1,3-Dichloropropene-	7.83	79	115283	51.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	103.20%
47) 2-Hexanone-d5	8.29	63	258363	110.26	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.26%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	341840	52.81	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	105.62%
64) 1,2-Dichlorobenzene-d4	11.84	152	234510	57.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	115.56%


Target Compounds					Qvalue
25) Chloroform	4.65	83	24289	3.238 ug/L	96




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU034795.D
Acq On : 25 Sep 2019 12:01
Operator : JC/SP
Sample : VU0925MBL01
Misc : 5.0g/5mL/100uL/5.00mL/MSVOA_U/MEOH
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK42

Quant Time: Sep 26 04:43:40 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 26 04:40:46 2019
Response via : Initial Calibration





#25

Chloroform

Concen: 3.238 ug/L

RT: 4.65 min Scan# 1107

Delta R.T. 0.00 min

Lab File: VU034795.D

Acq: 25 Sep 2019 12:01

Instrument :

MSVOA_U

ClientSampleId :

VBLK42

Tgt Ion: 83 Resp: 24289

Ion Ratio Lower Upper

83 100

85 59.9 44.0 81.6

