

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU092519\
Quantitation Report (QT Reviewed)


Data File : VU034798.D
Acq On : 25 Sep 2019 13:19
Operator : JC/SP
Sample : K4948-01DL 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEDM9DL

Manual Integrations
APPROVED

MMDadoda
9/26/2019 9:56:43 AM

Quant Time: Sep 26 05:17:13 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 26 04:40:46 2019
Response via : Initial Calibration



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU092519\
Quantitation Report (Qedit)




Data File : VU034798.D
Acq On : 25 Sep 2019 13:19
Operator : JC/SP
Sample : K4948-01DL 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEDM9DL

Manual Integrations
APPROVED

MMDadoda
9/26/2019 9:56:43 AM

Quant Time: Sep 26 04:44:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 26 04:40:46 2019
Response via : Initial Calibration



TIC: VU034798.D

(11) 1,1-Dichloroethene-d2 (S)

2.450min (+0.193) 0.03ug/L

response 255

Ion	Exp%	Act%
63.00	100	100
98.00	57.60	46.27
65.00	24.00	23.53
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU092519\
Quantitation Report (Qedit)




Data File : VU034798.D
Acq On : 25 Sep 2019 13:19
Operator : JC/SP
Sample : K4948-01DL 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEDM9DL

Manual Integrations
APPROVED

MMDadoda
9/26/2019 9:56:43 AM

Quant Time: Sep 26 04:44:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 26 04:40:46 2019
Response via : Initial Calibration



TIC: VU034798.D

(11) 1,1-Dichloroethene-d2 (S)

2.257min (+0.000) 37.43ug/L m

response 303937

Ion	Exp%	Act%
63.00	100	100
98.00	57.60	0.04#
65.00	24.00	0.02#
0.00	0.00	0.00

2md
9/30/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU092519\
Quantitation Report (QT Reviewed)

Data File : VU034798.D
Acq On : 25 Sep 2019 13:19
Operator : JC/SP
Sample : K4948-01DL 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleID :
BEDM9DL

Manual Integrations
APPROVED

MMDadoda
9/26/2019 9:56:43 AM

Quant Time: Sep 26 05:17:13 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM091919WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 26 04:40:46 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	468397	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	455124	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	189582	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	223254	46.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.12%
7) Chloroethane-d5	1.67	69	192384	51.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.82%
11) 1,1-Dichloroethene-d2	2.26	63	303937m	37.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.86%
21) 2-Butanone-d5	4.15	46	408843	111.25	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	111.25%
24) Chloroform-d	4.62	84	357473	51.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.56%
26) 1,2-Dichloroethane-d4	5.29	65	255954	49.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.90%
32) Benzene-d6	5.32	84	782413	55.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	110.92%
36) 1,2-Dichloropropane-d6	6.31	67	271939	55.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	110.30%
41) Toluene-d8	7.54	98	740620	55.18	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.36%
43) trans-1,3-Dichloropropene-	7.83	79	119257	50.50	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.00%
47) 2-Hexanone-d5	8.29	63	275999	111.45	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	111.45%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	356237	52.07	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	104.14%
64) 1,2-Dichlorobenzene-d4	11.84	152	243180	61.17	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	122.34%#

7mL
9/30/19

Target Compounds					Qvalue
20) cis-1,2-Dichloroethene	4.20	96	124879	31.876	ug/L 89
34) Trichloroethene	6.17	95	5106	1.310	ug/L 87
46) Tetrachloroethene	8.21	164	37217	13.572	ug/L 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed