

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092524\
 Data File : VU061007.D
 Acq On : 25 Sep 2024 16:21
 Operator : MD/SY
 Sample : P4186-10
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EY083

Quant Time: Sep 26 05:40:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091624WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 26 05:34:11 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	131551	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	144046	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	54252	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	49107	4.150	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	83.000%
7) Chloroethane-d5	1.911	69	40285	4.782	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	95.600%
11) 1,1-Dichloroethene-d2	2.560	65	18252	4.352	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	87.000%
20) 2-Butanone-d5	4.637	46	106300	55.962	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	111.920%
24) Chloroform-d	5.055	84	92472	5.112	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.200%
26) 1,2-Dichloroethane-d4	5.695	65	44952	5.199	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.000%
32) Benzene-d6	5.721	84	161514	4.183	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.600%
36) 1,2-Dichloropropane-d6	6.682	67	57609	4.823	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.400%
41) Toluene-d8	7.891	98	128687	3.656	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.200%
43) trans-1,3-Dichloroprop...	8.174	79	18080	4.205	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.000%
46) 2-Hexanone-d5	8.631	63	79942	47.131	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	94.260%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	45685	4.882	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.600%
66) 1,2-Dichlorobenzene-d4	12.187	152	45814	5.026	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.600%
Target Compounds					Qvalue	
13) Acetone	2.673	43	6255	4.936	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092524\
Data File : VU061007.D
Acq On : 25 Sep 2024 16:21
Operator : MD/SY
Sample : P4186-10
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EY083

Quant Time: Sep 26 05:40:33 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091624WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Sep 26 05:34:11 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.936 ug/L
 RT: 2.673 min Scan# 41
 Delta R.T. 0.016 min
 Lab File: VU061007.D
 Acq: 25 Sep 2024 16:21

Instrument :
 MSVOA_U
 ClientSampleId :
 EY083

Tgt Ion: 43 Resp: 6255
 Ion Ratio Lower Upper
 43 100
 58 37.4 0.0 69.6

