

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092623\
 Data File : VU055529.D
 Acq On : 26 Sep 2023 20:40
 Operator : MD/SY
 Sample : VU0926WBL02
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK047

Quant Time: Sep 27 07:02:44 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091923WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Sep 27 06:19:47 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	242198	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	246684	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	121119	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	102316	4.180	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	83.600%
7) Chloroethane-d5	1.911	69	73400	3.403	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	68.000%
11) 1,1-Dichloroethene-d2	2.563	65	45962	4.562	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	91.200%
20) 2-Butanone-d5	4.628	46	197190	44.599	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.200%
24) Chloroform-d	5.058	84	201108	4.542	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.800%
26) 1,2-Dichloroethane-d4	5.698	65	94238	4.425	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.400%
32) Benzene-d6	5.724	84	411028	4.764	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.200%
36) 1,2-Dichloropropane-d6	6.689	67	127583	4.949	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.000%
41) Toluene-d8	7.894	98	356836	4.537	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.800%
43) trans-1,3-Dichloroprop...	8.177	79	44024	4.866	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	97.400%
46) 2-Hexanone-d5	8.631	63	121838	44.274	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	88.540%
56) 1,1,2,2-Tetrachloroeth...	10.753	84	90198	4.668	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.400%
66) 1,2-Dichlorobenzene-d4	12.190	152	120919	4.946	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.000%
Target Compounds						
					Qvalue	
16) Methylene chloride	3.042	84	9555	0.471	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092623\
Data File : VU055529.D
Acq On : 26 Sep 2023 20:40
Operator : MD/SY
Sample : VU0926WBL02
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK047

Quant Time: Sep 27 07:02:44 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091923WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Sep 27 06:19:47 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.471 ug/L
RT: 3.042 min Scan# 54
Delta R.T. 0.000 min
Lab File: VU055529.D
Acq: 26 Sep 2023 20:40

Instrument :
MSVOA_U
ClientSampleId :
VBLK047

Tgt Ion: 84 Resp: 9555
Ion Ratio Lower Upper
84 100
86 61.7 44.9 83.3
49 102.6 78.8 146.3

