

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU092719\
 Data File : VU034848.D
 Acq On : 26 Sep 2019 17:36
 Operator : JC/SP
 Sample : K5007-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 CWK32

Quant Time: Sep 27 05:35:00 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR091819WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Sep 27 05:10:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	107375	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	101283	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	49651	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	35058	4.11	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	82.20%
7) Chloroethane-d5	1.67	69	29230	4.21	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	84.20%
11) 1,1-Dichloroethene-d2	2.26	63	53323	3.54	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.80%
20) 2-Butanone-d5	4.17	46	94351	44.92	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.84%
24) Chloroform-d	4.62	84	53544	4.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.20%
26) 1,2-Dichloroethane-d4	5.29	65	29692	4.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.00%
32) Benzene-d6	5.31	84	112444	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.40%
36) 1,2-Dichloropropane-d6	6.31	67	38734	4.26	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	85.20%
41) Toluene-d8	7.54	98	105689	4.15	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.00%
43) trans-1,3-Dichloropropene-	7.83	79	13734	3.73	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	74.60%
46) 2-Hexanone-d5	8.30	63	70173	42.85	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.70%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	28057	3.97	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	79.40%
64) 1,2-Dichlorobenzene-d4	11.84	152	37013	4.32	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	86.40%

Target Compounds					Ovalue
42) Toluene	7.62	91	6247	0.211 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU092719\
Data File : VU034848.D
Acq On : 26 Sep 2019 17:36
Operator : JC/SP
Sample : K5007-03
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
CWK32

Quant Time: Sep 27 05:35:00 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR091819WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Sep 27 05:10:18 2019
Response via : Initial Calibration

