

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU092818\
 Data File : VU027244.D
 Acq On : 27 Sep 2018 23:19
 Operator : MD/SY
 Sample : J5033-22
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BPSI-TT-MW307D-2018020

Quant Time: Sep 28 04:57:11 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U092218W.M
 Quant Title : SW846 8260
 QLast Update : Sat Sep 22 01:31:57 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.99	168	87189	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	149621	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	144979	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	64297	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	5.31	65	94805	54.03	ug/l	0.00
Spiked Amount 50.000			Recovery	=	108.06%	
35) Dibromofluoromethane	4.89	113	66841	51.54	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.08%	
50) Toluene-d8	7.57	98	241346	48.83	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.66%	
62) 4-Bromofluorobenzene	10.31	95	74988	44.22	ug/l	0.00
Spiked Amount 50.000			Recovery	=	88.44%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU092818\
Data File : VU027244.D
Acq On : 27 Sep 2018 23:19
Operator : MD/SY
Sample : J5033-22
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BPSI-TT-MW307D-2018020

Quant Time: Sep 28 04:57:11 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U092218W.M
Quant Title : SW846 8260
QLast Update : Sat Sep 22 01:31:57 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.99 min Scan# 1186

Delta R.T. 0.00 min

Lab File: VU027244.D

Acq: 27 Sep 2018 23:19

Instrument :

MSVOA_U

ClientSampleId :


BPSI-TT-MW307D-2018020

Tot Ion:168 Resp: 87189

Ion Ratio Lower Upper




168 100

99 62.8 48.1 72.1



Abundance Ion 167.90 (167.60 to 168.60): VU026969.D (-1169) (-)

Ion 98.90 (98.60 to 99.60): VU026969.D (-1169) (-)



#33

1,2-Dichloroethane-d4

Concen: 54.025 ug/l

RT: 5.31 min Scan# 1287

Delta R.T. -0.00 min

Lab File: VU027244.D


Acq: 27 Sep 2018 23:19

Tgt Ion: 65 Resp: 94805

Ion Ratio Lower Upper



65 100


67 52.6 0.0 105.6



Abundance Ion 64.90 (64.60 to 65.60): VU026969.D (-1272) (-)

Ion 66.90 (66.60 to 67.60): VU026969.D (-1272) (-)









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 5.89 min Scan# 1467
 Delta R.T. 0.00 min
 Lab File: VU027244.D
 Acq: 27 Sep 2018 23:19

Instrument :
 MSVOA_U
 ClientSampleId :
 BPSI-TT-MW307D-2018020

Tot Ion:114 Resp: 149621
 Ion Ratio Lower Upper
 114 100
 63 25.2 0.0 49.2
 88 16.7 0.0 33.8




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VU0
 Ion 87.90 (87.60 to 88.60): VU0






#35
 Dibromofluoromethane
 Concen: 51.538 ug/l
 RT: 4.89 min Scan# 1155
 Delta R.T. 0.00 min
 Lab File: VU027244.D
 Acq: 27 Sep 2018 23:19

Tgt Ion:113 Resp: 66841
 Ion Ratio Lower Upper
 113 100
 111 103.3 82.2 123.4
 192 18.0 15.2 22.8



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 48.830 ug/l
RT: 7.57 min Scan# 1989
Delta R.T. 0.00 min
Lab File: VU027244.D
Acq: 27 Sep 2018 23:19




Instrument :
MSVOA_U
ClientSampleId :
BPSI-TT-MW307D-2018020


Tot Ion: 98 Resp: 241346
Ion Ratio Lower Upper
98 100
100 63.7 52.1 78.1



#62
4-Bromofluorobenzene
Concen: 44.216 ug/l
RT: 10.31 min Scan# 2841
Delta R.T. -0.00 min
Lab File: VU027244.D
Acq: 27 Sep 2018 23:19

Tgt Ion: 95 Resp: 74988
Ion Ratio Lower Upper
95 100
174 74.9 0.0 150.2
176 71.4 0.0 145.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2463
Delta R.T. 0.00 min
Lab File: VU027244.D
Acq: 27 Sep 2018 23:19

Instrument :
MSVOA_U
ClientSampleId :
BPSI-TT-MW307D-2018020

Tot Ion:117 Resp: 144979
Ion Ratio Lower Upper
117 100
82 62.5 48.0 72.0
119 31.7 25.8 38.8




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VU0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.48 min Scan# 3207
Delta R.T. -0.00 min
Lab File: VU027244.D
Acq: 27 Sep 2018 23:19

Tgt Ion:152 Resp: 64297
Ion Ratio Lower Upper
152 100
115 60.0 44.9 134.5
150 155.7 0.0 355.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

