

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU092821\  
 Data File : VU044943.D  
 Acq On : 28 Sep 2021 15:56  
 Operator : SY/MD  
 Sample : M3954-03  
 Misc : 5.0mL/MSVOA\_U/WATER  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 SW-RR-03-(SA)

Quant Time: Sep 28 16:30:17 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\82U092821W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Sep 28 12:32:13 2021  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 5.378  | 168   | 200693   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.253  | 114   | 350579   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 9.420  | 117   | 334105   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 11.815 | 152   | 164803   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.706  | 65    | 161342   | 48.295   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 78 - 117 | Recovery | =      | 96.580%  |
| 35) Dibromofluoromethane    | 5.295  | 113   | 112882   | 51.042   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 102.080% |
| 50) Toluene-d8              | 7.902  | 98    | 449527   | 51.443   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 92 - 112 | Recovery | =      | 102.880% |
| 62) 4-Bromofluorobenzene    | 10.635 | 95    | 166246   | 46.082   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =      | 92.160%  |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 16) Acetone                 | 2.629  | 43    | 4345     | 2.191    | ug/l # | 88       |
| 52) Toluene                 | 7.973  | 92    | 1614     | 0.236    | ug/l   | 93       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU092821\  
Data File : VU044943.D  
Acq On : 28 Sep 2021 15:56  
Operator : SY/MD  
Sample : M3954-03  
Misc : 5.0mL/MSVOA\_U/WATER  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
SW-RR-03-(SA)

Quant Time: Sep 28 16:30:17 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\82U092821W.M  
Quant Title : SW846 8260  
QLast Update : Tue Sep 28 12:32:13 2021  
Response via : Initial Calibration

