

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU092920\
 Data File : VU040386.D
 Acq On : 30 Sep 2020 02:17
 Operator : SY/MD
 Sample : L4186-18
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BG0H6

Quant Time: Sep 30 04:10:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR092920WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Sep 30 02:48:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	119240	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	123052	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	53053	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	27547	4.67	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	93.40%
7) Chloroethane-d5	1.92	69	27632	5.35	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	107.00%
11) 1,1-Dichloroethene-d2	2.58	63	47186	3.32	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.40%
20) 2-Butanone-d5	4.65	46	160479	54.73	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	109.46%
24) Chloroform-d	5.08	84	73247	5.21	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.20%
26) 1,2-Dichloroethane-d4	5.72	65	46555	5.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	108.80%
32) Benzene-d6	5.75	84	129731	5.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.00%
36) 1,2-Dichloropropane-d6	6.70	67	46523	5.14	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.80%
41) Toluene-d8	7.91	98	100216	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.20%
43) trans-1,3-Dichloropropene-	8.19	79	16820	4.55	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.00%
46) 2-Hexanone-d5	8.64	63	111251	51.21	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.42%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	44831	5.09	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	47980	5.97	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	119.40%


Target Compounds					Ovalue
13) Acetone	2.66	43	3510	1.436 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU092920\
Data File : VU040386.D
Acq On : 30 Sep 2020 02:17
Operator : SY/MD
Sample : L4186-18
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BG0H6

Quant Time: Sep 30 04:10:24 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR092920WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Sep 30 02:48:48 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.436 ug/L

RT: 2.66 min Scan# 410

Delta R.T. 0.01 min

Lab File: VU040386.D

Acq: 30 Sep 2020 02:17

Instrument :
MSVOA_U
ClientSampleId :
BG0H6

Tot Ion: 43 Resp: 3510

Ion Ratio Lower Upper

43 100

58 27.3 0.0 61.8

