


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU093020\
Data File : VU040400.D
Acq On : 30 Sep 2020 15:40
Operator : SY/MD
Sample : L4186-11
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BG0F1

Manual Integrations
APPROVED

MMDadoda
10/2/2020 5:44:02 PM

Quant Time: Oct 01 03:54:15 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR092920WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Oct 01 03:05:40 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU093020\
Data File : VU040400.D
Acq On : 30 Sep 2020 15:40
Operator : SY/MD
Sample : L4186-11
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampled :
BG0F1

Manual Integrations
APPROVED

MMDadoda
10/2/2020 5:44:02 PM

Quant Time: Oct 01 03:07:58 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR092920WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Oct 01 03:05:40 2020
Response via : Initial Calibration



TIC: VU040400.D

(19) 1,1-Dichloroethane (T)

3.877min (-0.010) 0.10ug/L m

response 2224

Ion	Exp%	Act%
63.10	100	100
65.10	31.00	26.59
83.05	13.00	13.29
0.00	0.00	0.00

7 MD
10/08/20

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU093020\
 Data File : VU040400.D
 Acq On : 30 Sep 2020 15:40
 Operator : SY/MD
 Sample : L4186-11
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampled :
 BG0F1

Manual Integrations
APPROVED

MMDadoda
 10/2/2020 5:44:02 PM

Quant Time: Oct 01 03:07:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR092920WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Oct 01 03:05:40 2020
 Response via : Initial Calibration



TIC: VU040400.D

(19) 1,1-Dichloroethane (T)

3.877min (-0.010) 0.04ug/L

response 961

Ion	Exp%	Act%
63.10	100	100
65.10	31.00	26.59
83.05	13.00	13.29
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU093020\
 Data File : VU040400.D
 Acq On : 30 Sep 2020 15:40
 Operator : SY/MD
 Sample : L4186-11
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BG0F1

Manual Integrations
 APPROVED

MMDadoda
 10/2/2020 5:44:02 PM

Quant Time: Oct 01 03:54:15 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR092920WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Oct 01 03:05:40 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	6.26	114	136975	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	139442	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	62381	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	29972	4.42	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.40%
7) Chloroethane-d5	1.92	69	26310	4.43	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.60%
11) 1,1-Dichloroethene-d2	2.58	63	45284	2.78	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.60%#
20) 2-Butanone-d5	4.66	46	159174	47.25	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	94.50%
24) Chloroform-d	5.08	84	71206	4.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.20%
26) 1,2-Dichloroethane-d4	5.72	65	42749	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.00%
32) Benzene-d6	5.74	84	119748	4.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.40%
36) 1,2-Dichloropropane-d6	6.70	67	44650	4.35	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.00%
41) Toluene-d8	7.91	98	93673	3.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.00%
43) trans-1,3-Dichloropropene-	8.19	79	16642	3.98	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.60%
46) 2-Hexanone-d5	8.64	63	104822	42.58	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.16%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	42442	4.25	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	44539	4.71	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.20%

Target Compounds

					Ovalue
5) Vinyl chloride	1.61	62	433679	32.755	ug/L 98
13) Acetone	2.66	43	2394	0.853	ug/L 72
14) Carbon disulfide	2.81	76	2581	0.078	ug/L 99
18) trans-1,2-Dichloroethene	3.37	96	5411	0.502	ug/L 94
19) 1,1-Dichloroethane	3.88	63	2224m	0.100	ug/L 98
22) cis-1,2-Dichloroethene	4.69	96	62093	5.204	ug/L 98
33) Benzene	5.79	78	4305	0.092	ug/L 100
51) Chlorobenzene	9.45	112	1917	0.062	ug/L # 86
53) m,p-Xylene	9.69	106	2561	0.132	ug/L 82

(#) = qualifier out of range (m) = manual integration (+) = signals summed

2 MD
 10/08/20