

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU100118\
 Data File : VU027319.D
 Acq On : 01 Oct 2018 13:22
 Operator : MD/SY
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ICVVU100118

Quant Time: Oct 02 07:39:23 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U100118W.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 02 02:04:34 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	102	0.00
2 T	Dichlorodifluoromethane	0.721	0.801	-11.1	100	0.00
3 P	Chloromethane	0.976	0.993	-1.7	98	0.00
4 C	Vinyl Chloride	0.917	0.943	-2.8#	99	0.00
5 T	Bromomethane	0.397	0.378	4.8	99	0.00
6 T	Chloroethane	0.551	0.528	4.2	98	0.00
7 T	Trichlorofluoromethane	0.931	0.979	-5.2	102	0.00
8 T	Diethyl Ether	0.429	0.418	2.6	96	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.541	0.582	-7.6	104	0.00
10 T	Methyl Iodide	0.394	0.379	3.8	90	0.00
11 T	Tert butyl alcohol	0.176	0.173	1.7	101	0.00
12 CM	1,1-Dichloroethene	0.528	0.547	-3.6#	100	0.00
13 T	Acrolein	0.148	0.136	8.1	96	0.00
14 T	Allyl chloride	1.254	1.260	-0.5	97	0.00
15 T	Acrylonitrile	0.458	0.457	0.2	97	0.00
16 T	Acetone	0.493	0.458	7.1	92	0.00
17 T	Carbon Disulfide	1.905	1.890	0.8	99	0.00
18 T	Methyl Acetate	1.125	1.089	3.2	98	0.00
19 T	Methyl tert-butyl Ether	2.116	2.154	-1.8	99	0.00
20 T	Methylene Chloride	0.687	0.679	1.2	99	0.00
21 T	trans-1,2-Dichloroethene	0.593	0.611	-3.0	101	0.00
22 T	Diisopropyl ether	2.549	2.637	-3.5	99	0.00
23 T	Vinyl Acetate	2.226	2.317	-4.1	98	0.00
24 P	1,1-Dichloroethane	1.310	1.322	-0.9	97	0.00
25 T	2-Butanone	0.673	0.675	-0.3	95	0.00
26 T	2,2-Dichloropropane	1.077	1.091	-1.3	101	0.00
27 T	cis-1,2-Dichloroethene	0.678	0.682	-0.6	98	0.00
28 T	Bromochloromethane	0.632	0.626	0.9	94	0.00
29 T	Tetrahydrofuran	0.424	0.424	0.0	95	0.00
30 C	Chloroform	1.164	1.184	-1.7#	98	0.00
31 T	Cyclohexane	1.532	1.314	14.2	98	0.00
32 T	1,1,1-Trichloroethane	0.981	1.001	-2.0	98	0.00
33 S	1,2-Dichloroethane-d4	0.835	0.735	12.0	95	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	101	0.00
35 S	Dibromofluoromethane	0.343	0.315	8.2	97	0.00
36 T	1,1-Dichloropropene	0.543	0.559	-2.9	99	0.00
37 T	Ethyl Acetate	0.702	0.702	0.0	97	0.00
38 T	Carbon Tetrachloride	0.490	0.509	-3.9	100	0.00
39 T	Methylcyclohexane	0.635	0.685	-7.9	102	0.00
40 TM	Benzene	1.581	1.624	-2.7	99	0.00
41 T	Methacrylonitrile	0.397	0.409	-3.0	97	0.00
42 TM	1,2-Dichloroethane	0.587	0.604	-2.9	98	0.00
43 T	Isopropyl Acetate	1.090	1.128	-3.5	95	0.00
44 TM	Trichloroethene	0.353	0.362	-2.5	98	0.00
45 C	1,2-Dichloropropane	0.456	0.476	-4.4#	98	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU100118\
 Data File : VU027319.D
 Acq On : 01 Oct 2018 13:22
 Operator : MD/SY
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ICVVU100118

Quant Time: Oct 02 07:39:23 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U100118W.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 02 02:04:34 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.258	0.273	-5.8	99	0.00
47 T	Bromodichloromethane	0.535	0.555	-3.7	97	0.00
48 T	Methyl methacrylate	0.542	0.577	-6.5	97	0.00
49 T	1,4-Dioxane	0.009	0.011	-22.2#	104	0.00
50 S	Toluene-d8	1.282	1.239	3.4	96	0.00
51 T	4-Methyl-2-Pentanone	0.708	0.740	-4.5	96	0.00
52 CM	Toluene	0.936	0.983	-5.0#	99	0.00
53 T	t-1,3-Dichloropropene	0.627	0.668	-6.5	99	0.00
54 T	cis-1,3-Dichloropropene	0.674	0.720	-6.8	99	0.00
55 T	1,1,2-Trichloroethane	0.371	0.386	-4.0	98	0.00
56 T	Ethyl methacrylate	0.616	0.677	-9.9	97	0.00
57 T	1,3-Dichloropropane	0.720	0.736	-2.2	98	0.00
58 T	2-Chloroethyl Vinyl ether	0.344	0.376	-9.3	98	0.00
59 T	2-Hexanone	0.549	0.576	-4.9	96	0.00
60 T	Dibromochloromethane	0.372	0.395	-6.2	100	0.00
61 T	1,2-Dibromoethane	0.395	0.407	-3.0	97	0.00
62 S	4-Bromofluorobenzene	0.477	0.452	5.2	97	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	99	0.00
64 T	Tetrachloroethene	0.311	0.330	-6.1	100	0.00
65 PM	Chlorobenzene	1.052	1.085	-3.1	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.363	0.381	-5.0	98	0.00
67 C	Ethyl Benzene	1.865	1.990	-6.7#	98	0.00
68 T	m/p-Xylenes	0.682	0.743	-8.9	99	0.00
69 T	o-Xylene	0.648	0.714	-10.2	99	0.00
70 T	Styrene	1.064	1.195	-12.3	99	0.00
71 P	Bromoform	0.292	0.304	-4.1	98	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	102	0.00
73 T	Isopropylbenzene	3.631	3.868	-6.5	99	0.00
74 T	N-amyl acetate	2.079	2.199	-5.8	99	0.00
75 P	1,1,2,2-Tetrachloroethane	1.426	1.420	0.4	98	0.00
76 T	1,2,3-Trichloropropane	1.296	1.301	-0.4	97	0.00
77 T	Bromobenzene	0.844	0.867	-2.7	99	0.00
78 T	n-propylbenzene	4.364	4.746	-8.8	100	0.00
79 T	2-Chlorotoluene	2.635	2.726	-3.5	99	0.00
80 T	1,3,5-Trimethylbenzene	2.957	3.187	-7.8	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.495	0.490	1.0	101	0.00
82 T	4-Chlorotoluene	2.990	3.170	-6.0	99	0.00
83 T	tert-Butylbenzene	2.858	3.079	-7.7	99	0.00
84 T	1,2,4-Trimethylbenzene	3.020	3.300	-9.3	100	0.00
85 T	sec-Butylbenzene	3.601	3.963	-10.1	100	0.00
86 T	p-Isopropyltoluene	3.083	3.403	-10.4	100	0.00
87 T	1,3-Dichlorobenzene	1.598	1.637	-2.4	99	0.00
88 T	1,4-Dichlorobenzene	1.633	1.640	-0.4	99	0.00
89 T	n-Butylbenzene	2.876	3.263	-13.5	101	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU100118\
Data File : VU027319.D
Acq On : 01 Oct 2018 13:22
Operator : MD/SY
Sample : VSTDICV050
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ICVVU100118

Quant Time: Oct 02 07:39:23 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U100118W.M
Quant Title : SW846 8260
QLast Update : Tue Oct 02 02:04:34 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.581	0.602	-3.6	99	0.00
91 T	1,2-Dichlorobenzene	1.556	1.625	-4.4	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.316	0.319	-0.9	95	0.00
93 T	1,2,4-Trichlorobenzene	1.007	1.110	-10.2	101	0.00
94 T	Hexachlorobutadiene	0.509	0.543	-6.7	102	0.00
95 T	Naphthalene	3.375	3.716	-10.1	99	0.00
96 T	1,2,3-Trichlorobenzene	1.049	1.135	-8.2	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6