

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U100120\
 Data File : VU040447.D
 Acq On : 02 Oct 2020 02:06
 Operator : SY/MD
 Sample : L4209-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 JLWTO

Manual Integrations
 APPROVED

MMDadoda
 10/2/2020 5:54:41 PM

Quant Time: Oct 02 07:45:23 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR092920WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Oct 02 05:20:15 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	133829	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	131107	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	59489	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	0.00	65	0d	0.00	ug/L	
Spiked Amount	5.000	Range	40 - 130	Recovery	=	0.00%#
7) Chloroethane-d5	1.92	69	26823	4.62	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.40%
11) 1,1-Dichloroethene-d2	2.58	63	669	0.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	0.80%#
20) 2-Butanone-d5	4.66	46	186881	56.78	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	113.56%
24) Chloroform-d	5.08	84	76618	4.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.20%
26) 1,2-Dichloroethane-d4	5.72	65	48375	5.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.80%
32) Benzene-d6	5.75	84	130654	4.96	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.20%
36) 1,2-Dichloropropane-d6	6.70	67	49959	5.18	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.60%
41) Toluene-d8	0.00	98	0d	0.00	ug/L	
Spiked Amount	5.000	Range	70 - 130	Recovery	=	0.00%#
43) trans-1,3-Dichloropropene-	0.00	79	0	0.00	ug/L	
Spiked Amount	5.000	Range	55 - 130	Recovery	=	0.00%#
46) 2-Hexanone-d5	8.64	63	128221	55.40	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	110.80%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	48827	5.21	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	50095	5.55	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.00%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	2.67	43	3800m	1.386	ug/L	
38) Bromodichloromethane	7.12	83	1729	0.114	ug/L #	94
49) Dibromochloromethane	8.81	129	3947	0.395	ug/L	97
61) Bromoform	10.29	173	8988	1.828	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU100120\
Data File : VU040447.D
Acq On : 02 Oct 2020 02:06
Operator : SY/MD
Sample : L4209-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 39 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
JLWT0

Manual Integrations
APPROVED

MMDadoda
10/2/2020 5:54:41 PM

Quant Time: Oct 02 07:45:23 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR092920WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Oct 02 05:20:15 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.386 ug/L m

RT: 2.67 min Scan# 415

Delta R.T. 0.02 min

Lab File: VU040447.D

Acq: 02 Oct 2020 02:06

Instrument :

MSVOA_U

ClientSampled :

JLWT0

Tot Ion: 43 Resp: 3800

Ion Ratio Lower Upper

43 100





58 3.1 0.0 61.8

Manual Integrations

APPROVED

MMDadoda

10/2/2020 5:54:41 PM



#38

Bromodichloromethane

Concen: 0.114 ug/L

RT: 7.12 min Scan# 1798

Delta R.T. 0.01 min

Lab File: VU040447.D

Acq: 02 Oct 2020 02:06




Tgt Ion: 83 Resp: 1729


Ion Ratio Lower Upper

83 100

85 60.1 45.1 83.9

127 11.9 6.6 9.8#





#49

Dibromochloromethane

Concen: 0.395 ug/L

RT: 8.81 min Scan# 2324

Delta R.T. 0.00 min

Lab File: VU040447.D

Acq: 02 Oct 2020 02:06

Instrument :

MSVOA_U

ClientSampleId :

JLWTO

Tot Ion:129 Resp: 3947

Ion Ratio Lower Upper

129 100


127 81.8 55.4 103.0

Manual Integrations

APPROVED




MMDadoda

10/2/2020 5:54:41 PM



Abundance Ion 128.95 (128.65 to 129.65): V

Ion 126.90 (126.60 to 127.60): V



#61

Bromoform

Concen: 1.828 ug/L

RT: 10.29 min Scan# 2784

Delta R.T. 0.00 min

Lab File: VU040447.D

Acq: 02 Oct 2020 02:06


Tgt Ion:173 Resp: 8988

Ion Ratio Lower Upper

173 100

175 45.2 39.6 59.4

254 7.9 7.0 10.4



Abundance Ion 172.90 (172.60 to 173.60): V

Ion 174.90 (174.60 to 175.60): V

Ion 253.75 (253.45 to 254.45): V

