

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100124\
 Data File : VU061041.D
 Acq On : 01 Oct 2024 14:10
 Operator : MD/SY
 Sample : P4227-19
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 FB(20240925)

Quant Time: Oct 02 02:36:20 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100124WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Oct 02 02:09:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	180999	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	168899	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.808	152	77756	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	63944	4.941	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.800%
7) Chloroethane-d5	1.911	69	46526	4.803	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.000%
11) 1,1-Dichloroethene-d2	2.564	65	28242	4.947	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	99.000%
20) 2-Butanone-d5	4.628	46	150093	48.421	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	96.840%
24) Chloroform-d	5.055	84	110276	4.835	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.800%
26) 1,2-Dichloroethane-d4	5.695	65	61962	5.126	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.600%
32) Benzene-d6	5.721	84	225536	5.064	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.200%
36) 1,2-Dichloropropane-d6	6.682	67	73783	5.045	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.800%
41) Toluene-d8	7.891	98	209186	5.025	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.600%
43) trans-1,3-Dichloroprop...	8.178	79	30854	4.934	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	98.600%
46) 2-Hexanone-d5	8.628	63	127529	49.270	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.540%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	52717	4.915	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.400%
66) 1,2-Dichlorobenzene-d4	12.187	152	66058	5.313	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.200%
Target Compounds					Qvalue	
16) Methylene chloride	3.043	84	3455	0.288	ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100124\
Data File : VU061041.D
Acq On : 01 Oct 2024 14:10
Operator : MD/SY
Sample : P4227-19
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
FB(20240925)


Quant Time: Oct 02 02:36:20 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100124WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Oct 02 02:09:38 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.288 ug/L
RT: 3.043 min Scan# 54
Delta R.T. 0.003 min
Lab File: VU061041.D
Acq: 01 Oct 2024 14:10

Instrument :
MSVOA_U
ClientSampleId :
FB(20240925)



Tgt Ion	Ratio	Lower	Upper
84	100		
86	63.9	47.3	87.8
49	128.5	78.7	146.1

