

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U100219\
 Data File : VU034908.D
 Acq On : 01 Oct 2019 23:15
 Operator : JC/SP
 Sample : K5028-08
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Oct 02 04:58:19 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Oct 02 01:50:17 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	342761	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	329934	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	138063	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	100944	42.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.04%
7) Chloroethane-d5	1.67	69	89544	44.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.74%
11) 1,1-Dichloroethene-d2	2.26	63	154561	36.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.18%
21) 2-Butanone-d5	4.15	46	231702	98.84	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.84%
24) Chloroform-d	4.62	84	217482	46.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.30%
26) 1,2-Dichloroethane-d4	5.29	65	159929	46.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.44%
32) Benzene-d6	5.32	84	427159	47.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.14%
36) 1,2-Dichloropropane-d6	6.31	67	150700	48.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.60%
41) Toluene-d8	7.54	98	394381	46.67	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.34%
43) trans-1,3-Dichloropropene-	7.83	79	63641	46.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.06%
47) 2-Hexanone-d5	8.29	63	153608	103.92	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.92%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	210656	47.76	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.52%
64) 1,2-Dichlorobenzene-d4	11.84	152	134603	49.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.00%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU100219\
Data File : VU034908.D
Acq On : 01 Oct 2019 23:15
Operator : JC/SP
Sample : K5028-08
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Oct 02 04:58:19 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100119WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 02 01:50:17 2019
Response via : Initial Calibration

