

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU100319\
 Data File : VU034917.D
 Acq On : 03 Oct 2019 15:50
 Operator : JC/SP
 Sample : VU1003WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK47

Quant Time: Oct 04 07:34:38 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Oct 04 07:30:57 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	425613	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	407337	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.46	152	160800	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	164309	48.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.06%
7) Chloroethane-d5	1.67	69	128979	50.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.04%
11) 1,1-Dichloroethene-d2	2.26	63	225140	37.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.50%
21) 2-Butanone-d5	4.15	46	253164	100.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.46%
24) Chloroform-d	4.62	84	266821	47.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.96%
26) 1,2-Dichloroethane-d4	5.28	65	189228	50.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.22%
32) Benzene-d6	5.32	84	583563	50.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.88%
36) 1,2-Dichloropropane-d6	6.31	67	191762	50.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.44%
41) Toluene-d8	7.54	98	528704	49.21	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.42%
43) trans-1,3-Dichloropropene-	7.83	79	83358	49.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.46%
47) 2-Hexanone-d5	8.29	63	171196	95.48	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.48%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	257502	47.95	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.90%
64) 1,2-Dichlorobenzene-d4	11.84	152	174927	52.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.96%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU100319\
Data File : VU034917.D
Acq On : 03 Oct 2019 15:50
Operator : JC/SP
Sample : VU1003WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK47

Quant Time: Oct 04 07:34:38 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100319WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 04 07:30:57 2019
Response via : Initial Calibration

