

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU100418\
 Data File : VU027398.D
 Acq On : 04 Oct 2018 11:13
 Operator : MD/SY
 Sample : J5084-11 50X
 Misc : 5.89g/5mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 B-2(13-13.5)

Quant Time: Oct 05 03:55:53 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U100118W.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 02 02:04:34 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.99	168	97167	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	168171	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	160282	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	84790	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.31	65	100058	61.67	ug/l	0.00
Spiked Amount	50.000		Recovery	=	123.34%	
35) Dibromofluoromethane	4.89	113	69375	60.19	ug/l	0.00
Spiked Amount	50.000		Recovery	=	120.38%	
50) Toluene-d8	7.57	98	259371	60.13	ug/l	0.00
Spiked Amount	50.000		Recovery	=	120.26%	
62) 4-Bromofluorobenzene	10.31	95	92268	57.56	ug/l	0.00
Spiked Amount	50.000		Recovery	=	115.12%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU100418\
Data File : VU027398.D
Acq On : 04 Oct 2018 11:13
Operator : MD/SY
Sample : J5084-11 50X
Misc : 5.89g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
B-2(13-13.5)

Quant Time: Oct 05 03:55:53 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U100118W.M
Quant Title : SW846 8260
QLast Update : Tue Oct 02 02:04:34 2018
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 4.99 min Scan# 1186
Delta R.T. 0.00 min
Lab File: VU027398.D
Acq: 04 Oct 2018 11:13

Instrument :
MSVOA_U
ClientSampleId :
B-2(13-13.5)

Tot Ion:168 Resp: 97167
Ion Ratio Lower Upper
168 100
99 61.7 50.8 76.2




Abundance Ion 167.90 (167.60 to 168.60): VU027314.D (-1169) (-)
Ion 98.90 (98.60 to 99.60): VU027398.D (-1092) (-)






#33
1,2-Dichloroethane-d4
Concen: 61.668 ug/l
RT: 5.31 min Scan# 1287
Delta R.T. 0.00 min
Lab File: VU027398.D
Acq: 04 Oct 2018 11:13

Tgt Ion: 65 Resp: 100058
Ion Ratio Lower Upper
65 100
67 52.6 0.0 107.8



Abundance Ion 64.90 (64.60 to 65.60): VU027314.D (-1271) (-)
Ion 66.90 (66.60 to 67.60): VU027398.D (-1194) (-)









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 5.89 min Scan# 1467
 Delta R.T. 0.00 min
 Lab File: VU027398.D
 Acq: 04 Oct 2018 11:13

Instrument :
 MSVOA_U
 ClientSampleId :
 B-2(13-13.5)

Tot Ion:114 Resp: 168171
 Ion Ratio Lower Upper
 114 100
 63 24.3 0.0 50.2
 88 17.1 0.0 33.8




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VU0
 Ion 87.90 (87.60 to 88.60): VU0






#35
 Dibromofluoromethane
 Concen: 60.194 ug/l
 RT: 4.89 min Scan# 1155
 Delta R.T. 0.00 min
 Lab File: VU027398.D
 Acq: 04 Oct 2018 11:13

Tgt Ion:113 Resp: 69375
 Ion Ratio Lower Upper
 113 100
 111 103.2 83.1 124.7
 192 19.1 15.4 23.0



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 60.129 ug/l

RT: 7.57 min Scan# 1989

Delta R.T. 0.00 min

Lab File: VU027398.D

Acq: 04 Oct 2018 11:13

Instrument :

MSVOA_U

ClientSampleId :


B-2(13-13.5)

Tot Ion: 98 Resp: 259371

Ion Ratio Lower Upper

98 100

100 64.2 52.1 78.1



Abundance Ion 98.00 (97.70 to 98.70): VU027314.D (-1974) (-)

Ion 100.00 (99.70 to 100.70): VU027314.D (-1974) (-)

7.57

150000



100000

50000

0

7.50 7.60 7.70

Time-->



#62

4-Bromofluorobenzene

Concen: 57.557 ug/l

RT: 10.31 min Scan# 2841

Delta R.T. 0.00 min

Lab File: VU027398.D

Acq: 04 Oct 2018 11:13


Tgt Ion: 95 Resp: 92268

Ion Ratio Lower Upper

95 100

174 73.4 0.0 147.8

176 70.8 0.0 140.8



Abundance Ion 94.90 (94.60 to 95.60): VU027314.D (-2828) (-)

Ion 173.80 (173.50 to 174.50): VU027314.D (-2828) (-)

Ion 175.80 (175.50 to 176.50): VU027314.D (-2828) (-)

10.31

80000

60000


40000


20000

0

10.30 10.40

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2463
Delta R.T. 0.00 min
Lab File: VU027398.D
Acq: 04 Oct 2018 11:13

Instrument :
MSVOA_U
ClientSampleId :
B-2(13-13.5)

Tot Ion:117 Resp: 160282
Ion Ratio Lower Upper
117 100
82 63.4 49.2 73.8
119 32.0 25.7 38.5



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.48 min Scan# 3207
Delta R.T. -0.00 min
Lab File: VU027398.D
Acq: 04 Oct 2018 11:13

Tgt Ion:152 Resp: 84790
Ion Ratio Lower Upper
152 100
115 60.5 43.4 130.2
150 156.4 0.0 349.2

