

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU100421\  
 Data File : VU045125.D  
 Acq On : 05 Oct 2021 03:14  
 Operator : SY/MD  
 Sample : M4025-02 100X  
 Misc : 5.0mL/MSVOA\_U/WATER  
 ALS Vial : 43 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 C0AL1

Quant Time: Oct 05 07:04:25 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMULM092321WMA.M  
 Quant Title : VOC Analysis  
 QLast Update : Tue Oct 05 02:41:56 2021  
 Response via : Initial Calibration

| Compound                      | R.T.    | QIon  | Response | Conc     | Units | Dev(Min)  |
|-------------------------------|---------|-------|----------|----------|-------|-----------|
| -----                         |         |       |          |          |       |           |
| Internal Standards            |         |       |          |          |       |           |
| 1) 1,4-Difluorobenzene        | 6.253   | 114   | 285313   | 50.00    | ug/L  | 0.00      |
| 28) Chlorobenzene-d5          | 9.420   | 117   | 270240   | 50.00    | ug/L  | 0.00      |
| 58) 1,4-Dichlorobenzene-d4    | 11.815  | 152   | 123641   | 50.00    | ug/L  | 0.00      |
| System Monitoring Compounds   |         |       |          |          |       |           |
| 4) Vinyl Chloride-d3          | 1.600   | 65    | 80093    | 25.64    | ug/L  | 0.00      |
| Spiked Amount                 | 50.000  | Range | 60 - 135 | Recovery | =     | 51.28%#   |
| 7) Chloroethane-d5            | 1.906   | 69    | 61885    | 25.00    | ug/L  | 0.00      |
| Spiked Amount                 | 50.000  | Range | 70 - 130 | Recovery | =     | 50.00%#   |
| 11) 1,1-Dichloroethene-d2     | 2.565   | 63    | 123464   | 23.54    | ug/L  | 0.00      |
| Spiked Amount                 | 50.000  | Range | 60 - 125 | Recovery | =     | 47.08%#   |
| 21) 2-Butanone-d5             | 4.639   | 46    | 249504   | 101.05   | ug/L  | 0.00      |
| Spiked Amount                 | 100.000 | Range | 40 - 130 | Recovery | =     | 101.05%   |
| 24) Chloroform-d              | 5.067   | 84    | 189950   | 38.51    | ug/L  | 0.00      |
| Spiked Amount                 | 50.000  | Range | 70 - 125 | Recovery | =     | 77.02%    |
| 26) 1,2-Dichloroethane-d4     | 5.706   | 65    | 137598   | 41.18    | ug/L  | 0.00      |
| Spiked Amount                 | 50.000  | Range | 70 - 125 | Recovery | =     | 82.36%    |
| 32) Benzene-d6                | 5.732   | 84    | 370398   | 39.50    | ug/L  | 0.00      |
| Spiked Amount                 | 50.000  | Range | 70 - 125 | Recovery | =     | 79.00%    |
| 36) 1,2-Dichloropropane-d6    | 6.693   | 67    | 124521   | 40.72    | ug/L  | 0.00      |
| Spiked Amount                 | 50.000  | Range | 70 - 120 | Recovery | =     | 81.44%    |
| 41) Toluene-d8                | 7.902   | 98    | 317415   | 39.22    | ug/L  | 0.00      |
| Spiked Amount                 | 50.000  | Range | 80 - 120 | Recovery | =     | 78.44%#   |
| 43) trans-1,3-Dichloroprop... | 8.182   | 79    | 54855    | 40.33    | ug/L  | 0.00      |
| Spiked Amount                 | 50.000  | Range | 60 - 125 | Recovery | =     | 80.66%    |
| 47) 2-Hexanone-d5             | 8.642   | 63    | 182091   | 107.46   | ug/L  | 0.00      |
| Spiked Amount                 | 100.000 | Range | 45 - 130 | Recovery | =     | 107.46%   |
| 56) 1,1,2,2-Tetrachloroeth... | 10.761  | 84    | 215035   | 45.16    | ug/L  | 0.00      |
| Spiked Amount                 | 50.000  | Range | 65 - 120 | Recovery | =     | 90.32%    |
| 66) 1,2-Dichlorobenzene-d4    | 12.198  | 152   | 123316   | 45.83    | ug/L  | 0.00      |
| Spiked Amount                 | 50.000  | Range | 80 - 120 | Recovery | =     | 91.66%    |
| Target Compounds              |         |       |          |          |       |           |
| 42) Toluene                   | 7.973   | 91    | 5212     | 0.51     | ug/L  | Qvalue 96 |
| -----                         |         |       |          |          |       |           |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU100421\  
Data File : VU045125.D  
Acq On : 05 Oct 2021 03:14  
Operator : SY/MD  
Sample : M4025-02 100X  
Misc : 5.0mL/MSVOA\_U/WATER  
ALS Vial : 43 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
C0AL1

Quant Time: Oct 05 07:04:25 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMULM092321WMA.M  
Quant Title : VOC Analysis  
QLast Update : Tue Oct 05 02:41:56 2021  
Response via : Initial Calibration

