

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U100620\
 Data File : VU040531.D
 Acq On : 06 Oct 2020 17:08
 Operator : SY/MD
 Sample : VU1006WBL04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK204

Quant Time: Oct 07 15:21:45 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SFAMUL100620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Oct 07 08:04:20 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	287883	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	284680	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.81	152	130676	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	113951	46.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.18%
7) Chloroethane-d5	1.92	69	89970	47.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.54%
11) 1,1-Dichloroethene-d2	2.57	63	169960	36.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.06%
21) 2-Butanone-d5	4.64	46	201636	102.77	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.77%
24) Chloroform-d	5.08	84	199856	46.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.72%
26) 1,2-Dichloroethane-d4	5.72	65	143183	48.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.42%
32) Benzene-d6	5.74	84	397740	49.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.18%
36) 1,2-Dichloropropane-d6	6.70	67	131590	48.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.92%
41) Toluene-d8	7.91	98	345378	47.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.04%
43) trans-1,3-Dichloropropene-	8.19	79	64552	47.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.98%
47) 2-Hexanone-d5	8.64	63	129295	102.14	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.14%
56) 1,1,2,2-Tetrachloroethane-	10.75	84	181927	46.38	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.76%
66) 1,2-Dichlorobenzene-d4	12.19	152	131655	49.50	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.00%


Target Compounds					Ovalue
68) 1,2-Dibromo-3-chloropropan	12.99	75	1059	1.270 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU100620\
Data File : VU040531.D
Acq On : 06 Oct 2020 17:08
Operator : SY/MD
Sample : VU1006WBL04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK204

Quant Time: Oct 07 15:21:45 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SFAMUL100620WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 07 08:04:20 2020
Response via : Initial Calibration





#68

1,2-Dibromo-3-chloropropane

Concen: 1.270 ug/L

RT: 12.99 min Scan# 3624

Delta R.T. 0.00 min

Lab File: VU040531.D

Acq: 06 Oct 2020 17:08

Instrument :

MSVOA_U

ClientSampleId :

VBLK204


Tot Ion: 75 Resp: 1059

Ion Ratio Lower Upper

75 100

155 75.4 61.0 91.6

157 82.0 73.5 110.3



Abundance Ion 75.00 (74.70 to 75.70): VU040531.D (-3499) (-)

Ion 155.00 (154.70 to 155.70): VU040531.D (-3499) (-)

Ion 157.00 (156.70 to 157.70): VU040531.D (-3499) (-)

