

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU100720\
 Data File : VU040544.D
 Acq On : 07 Oct 2020 14:51
 Operator : SY/MD
 Sample : VU1007WBL06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK208

Quant Time: Oct 08 01:47:54 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SFAMUL100620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 08 01:13:08 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	273804	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	272586	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.81	152	126878	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	102745	43.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.38%
7) Chloroethane-d5	1.92	69	84493	47.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.34%
11) 1,1-Dichloroethene-d2	2.58	63	154324	34.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.78%
21) 2-Butanone-d5	4.64	46	206845	110.84	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	110.84%
24) Chloroform-d	5.08	84	187169	46.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.30%
26) 1,2-Dichloroethane-d4	5.71	65	132234	46.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.62%
32) Benzene-d6	5.74	84	362530	46.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.46%
36) 1,2-Dichloropropane-d6	6.70	67	121404	46.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.38%
41) Toluene-d8	7.90	98	309347	43.99	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.98%
43) trans-1,3-Dichloropropene-	8.18	79	58211	44.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.46%
47) 2-Hexanone-d5	8.64	63	130453	107.62	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	107.62%
56) 1,1,2,2-Tetrachloroethane-	10.75	84	176895	47.10	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.20%
66) 1,2-Dichlorobenzene-d4	12.19	152	127812	49.50	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.00%


Target Compounds					Ovalue
68) 1,2-Dibromo-3-chloropropan	12.99	75	1522	1.880 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU100720\
Data File : VU040544.D
Acq On : 07 Oct 2020 14:51
Operator : SY/MD
Sample : VU1007WBL06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK208

Quant Time: Oct 08 01:47:54 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SFAMUL100620WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 08 01:13:08 2020
Response via : Initial Calibration





#68

1,2-Dibromo-3-chloropropane

Concen: 1.880 ug/L

RT: 12.99 min Scan# 3624

Delta R.T. 0.00 min

Lab File: VU040544.D

Acq: 07 Oct 2020 14:51

Instrument :

MSVOA_U

ClientSampleId :

VBLK208

Tot Ion: 75 Resp: 1522

Ion Ratio Lower Upper

75 100

155 70.1 61.0 91.6

157 92.1 73.5 110.3

