

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU100818\
 Data File : VU027493.D
 Acq On : 08 Oct 2018 12:32
 Operator : MD/SY
 Sample : J5250-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0911

Quant Time: Oct 10 11:06:01 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 09 04:55:00 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	196132	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	186056	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	84603	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	64130	41.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.10%
7) Chloroethane-d5	1.68	69	53512	45.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.00%
11) 1,1-Dichloroethene-d2	2.27	63	96278	33.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.50%
21) 2-Butanone-d5	4.18	46	133479	107.12	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.12%
24) Chloroform-d	4.65	84	124327	50.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.72%
26) 1,2-Dichloroethane-d4	5.31	65	86315	49.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.78%
32) Benzene-d6	5.34	84	246402	46.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.42%
36) 1,2-Dichloropropane-d6	6.33	67	89905	49.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.44%
41) Toluene-d8	7.57	98	211730	44.42	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.84%
43) trans-1,3-Dichloropropene-	7.85	79	40150	45.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.24%
47) 2-Hexanone-d5	8.31	63	92573	100.35	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.35%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	116610	48.82	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.64%
64) 1,2-Dichlorobenzene-d4	11.86	152	79550	48.06	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.12%

Target Compounds					Ovalue
13) Acetone	2.32	43	3263	3.193 ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU100818\
Data File : VU027493.D
Acq On : 08 Oct 2018 12:32
Operator : MD/SY
Sample : J5250-03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0911

Quant Time: Oct 10 11:06:01 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 09 04:55:00 2018
Response via : Initial Calibration

